

US00D674447S

(12) **United States Design Patent**
Johnson et al.

(10) **Patent No.:** **US D674,447 S**
(45) **Date of Patent:** **** Jan. 15, 2013**

(54) **TWILIGHT DEVICE**

(56) **References Cited**

(75) Inventors: **Jeff Johnson**, Lawndale, CA (US);
Linda Suh, Palos Verdes, CA (US);
Nader Hamda, Torrance, CA (US)

U.S. PATENT DOCUMENTS

D176,107	S	*	11/1955	Carrick et al.	D21/603
D217,685	S	*	5/1970	Steffens	D21/603
D318,502	S	*	7/1991	Senitt	D21/603
D325,058	S	*	3/1992	Senitt	D21/603
D409,036	S	*	5/1999	Bear	D6/598
D433,864	S	*	11/2000	Rosenstadt et al.	D6/598
D481,073	S	*	10/2003	Sawyer	D21/603
D580,997	S	*	11/2008	Johnson et al.	D21/603
D607,139	S	*	12/2009	Johnson et al.	D26/98
2006/0194508	A1	*	8/2006	Johnson et al.	446/485

(73) Assignee: **Cloud B, Inc.**, Gardena, CA (US)

(**) Term: **14 Years**

* cited by examiner

(21) Appl. No.: **29/430,675**

(22) Filed: **Aug. 28, 2012**

Primary Examiner — Sandra Morris

(74) *Attorney, Agent, or Firm* — Lewis Brisbois; Bisgaard & Smith LLP; Jon Hokanson

Related U.S. Application Data

(62) Division of application No. 11/132,035, filed on May 19, 2005.

(57) **CLAIM**

The ornamental design for a twilight device, as shown and described.

(51) **LOC (9) Cl.** **21-01**

(52) **U.S. Cl.** **D21/603**


(58) **Field of Classification Search** D21/576,
D21/578, 584-589, 603; D11/158; D26/94,
D26/98, 108; 446/72, 97-98, 268, 368-369,
446/485



DESCRIPTION

FIG. 1 is a top perspective view of the device;
FIG. 2 is a top plan view of the device;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a front elevational view thereof;
FIG. 6 is a rear elevational view thereof; and,
FIG. 7 is a bottom plan view of the device.

See application file for complete search history.

1 Claim, 3 Drawing Sheets








FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7