



US00D674587S

(12) **United States Design Patent**
Grainger

(10) **Patent No.:** **US D674,587 S**
(45) **Date of Patent:** **** Jan. 22, 2013**

(54) **DUAL SIDED ADHESIVE HEEL PAD**

(76) **Inventor:** **Geneva Grainger**, Austin, TX (US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/430,407**

(22) **Filed:** **Aug. 24, 2012**

(51) **LOC (9) Cl.** **02-99**

(52) **U.S. Cl.** **D2/961**

(58) **Field of Classification Search** D2/946,
D2/961; 36/43, 44, 71
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D120,419 S * 5/1940 Elgin D2/961
D253,318 S * 11/1979 Maccario D2/961
5,842,292 A * 12/1998 Siesel 36/71

* cited by examiner

Primary Examiner — Dominic Simone

(74) *Attorney, Agent, or Firm* — Andrew W. Chu; Craft Chu
PLLC

(57) **CLAIM**

The ornamental design for a dual sided adhesive heel pad, as shown and described.

DESCRIPTION

FIG. 1 is an upper perspective view of the dual sided adhesive heel pad showing my design.

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is a front elevation view thereof;

FIG. 5 is a back elevation view thereof;

FIG. 6 is a side elevation view thereof;

FIG. 7 is an opposite side elevation view thereof; and,



FIG. 8 is another perspective view thereof, showing installation inside a shoe in broken lines.

The broken line features are presented for illustrative purpose and form no part of the claimed design.

The pattern on the front surface in FIGS. 1 and 2-8 represents a first adhesive.

The pattern on the back surface in FIGS. 3 and 8 represents a second adhesive.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7



FIG. 8