



US00D674640S

(12) **United States Design Patent**
Knoll

(10) **Patent No.:** **US D674,640 S**
(45) **Date of Patent:** **** Jan. 22, 2013**

(54) **SAFETY PAD**
(76) Inventor: **James Knoll**, Seguin, TX (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/410,406**
(22) Filed: **Jan. 6, 2012**
(51) **LOC (9) Cl.** **06-11**
(52) **U.S. Cl.** **D6/582**
(58) **Field of Classification Search** D5/30,
D5/47, 49, 58, 61-63, 99, 53, 57; D6/582,
D6/583, 588, 591, 592, 613, 615, 617, 619,
D6/620, 621; D12/203; D19/1, 5, 8; 4/581,
4/582, 583; 5/417, 420; 15/215, 238; 52/660;
428/85; D32/57
See application file for complete search history.

D350,253 S 9/1994 Livingstone et al.
D388,647 S 1/1998 Odell
D394,036 S * 5/1998 Mauffette D12/203
D412,490 S 8/1999 Henry
5,970,556 A * 10/1999 Nemoto 15/1.51
D455,929 S * 4/2002 Tweel D6/617
D464,741 S 10/2002 Brady et al.
D483,499 S 12/2003 Payne
6,920,655 B2 * 7/2005 Mitchell 5/417
7,445,833 B2 * 11/2008 Polley 428/178
D586,601 S * 2/2009 Robbins, III D6/583
D591,096 S 4/2009 Lubart
D611,749 S 3/2010 Lubart
2003/0196288 A1 * 10/2003 Kessler 15/215
2006/0107480 A1 * 5/2006 De Grandi 15/215

* cited by examiner

Primary Examiner — Karen S Acker
(74) *Attorney, Agent, or Firm* — QuickPatents; Kevin Prince

(56) **References Cited**

U.S. PATENT DOCUMENTS

D49,550 S * 8/1916 Scherner D6/583
D66,907 S * 3/1925 Waldo D6/582
1,756,380 A * 4/1930 Osborn 428/71
2,124,123 A 7/1938 Rosengarten
2,299,300 A * 10/1942 Bjornson 66/170
2,477,960 A * 8/1949 Caldwell 15/215
D158,712 S * 5/1950 Breneman D6/583
D159,045 S 6/1950 Caldwell
D172,224 S * 5/1954 Daugeette D6/583
3,083,393 A * 4/1963 Nappi 15/215
3,100,522 A * 8/1963 McIntyre 160/90
3,253,859 A * 5/1966 Merriman et al. 297/397
3,434,715 A * 3/1969 Brantingham et al. 482/79
D238,538 S * 1/1976 Smith D6/582
D265,705 S 8/1982 Yamazaki et al.
D267,535 S 1/1983 Yamazaki et al.
D302,417 S * 7/1989 Lehner et al. D12/203
5,018,235 A * 5/1991 Stamatiou et al. 15/215


(57) **CLAIM**

I claim the ornamental design for a safety pad, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a safety pad, showing my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a front elevational view thereof, the rear elevational view being a mirror image thereof;
FIG. 4 is a left-side elevational view thereof, the right-side elevational view being a mirror image thereof; and,
FIG. 5 is a bottom plan view thereof.
The differing shading patterns represent contrasting colors. The broken lines and the area within the broken lines form no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5