



US00D674747S

(12) **United States Design Patent**
Nierescher et al.

(10) **Patent No.:** **US D674,747 S**
(45) **Date of Patent:** **** Jan. 22, 2013**

(54) **BATTERY PACK**

(75) Inventors: **David Nierescher**, Renton, WA (US);
Robin Sarah Schneider, Seattle, WA
(US)

(73) Assignee: **Micro Power Electronics, Inc.**,
Beaverton, OR (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/379,243**

(22) Filed: **Nov. 16, 2010**

(51) **LOC (9) Cl.** **13-02**

(52) **U.S. Cl.** **D13/106**

(58) **Field of Classification Search** D13/102-106,
D13/110, 118-121, 184, 199; 429/96-100,
429/159, 163, 176, 178, 187

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,864,173	A	2/1975	Butschkau	
4,160,857	A	7/1979	Nardella et al.	
D285,191	S *	8/1986	Humphreys et al.	D13/106
4,693,949	A *	9/1987	Kellett et al.	429/128
4,830,937	A	5/1989	Clerici	
4,861,684	A	8/1989	Law	
5,384,212	A	1/1995	Heiman et al.	
D386,148	S *	11/1997	Katooka et al.	D13/110
5,792,573	A	8/1998	Pitzen et al.	
5,977,746	A	11/1999	Hershberger et al.	
6,063,518	A	5/2000	Dewulf et al.	
6,110,618	A	8/2000	Vacheron et al.	
6,119,864	A	9/2000	Kessler et al.	
6,190,794	B1	2/2001	Wyser	
D469,401	S *	1/2003	Griffey et al.	D13/110
6,555,264	B1	4/2003	Hamada et al.	
D491,138	S *	6/2004	Minato	D13/104
6,847,190	B2	1/2005	Schaefer et al.	
7,160,644	B2	1/2007	White et al.	
D584,684	S *	1/2009	Aglassinger	D13/110
7,586,736	B2	9/2009	Young et al.	
D603,792	S *	11/2009	Ferro	D13/110
7,820,318	B2 *	10/2010	Schuman et al.	429/96

D654,870	S *	2/2012	Pehlari	D13/110
D660,790	S *	5/2012	Elison et al.	D13/106
2002/0114994	A1 *	8/2002	Yabuki et al.	429/178
2003/0044679	A1 *	3/2003	Hirano et al.	429/176
2003/0197485	A1	10/2003	Miller et al.	
2005/0001586	A1	1/2005	Tashiro	
2005/0037260	A1 *	2/2005	Shen	429/176
2005/0096661	A1	5/2005	Farrow et al.	
2009/0047572	A1	2/2009	Pynenburg et al.	
2009/0061301	A1	3/2009	Planck	

FOREIGN PATENT DOCUMENTS

DE	20318982	U1	4/2004
EP	1126535	A2	8/2001
GB	938354		10/1963
JP	4002038	A	1/1992

OTHER PUBLICATIONS

U.S. Appl. No. 12/903,878, filed Oct. 13, 2010, Maxwell.
Cristini et al., "Test and Evaluation of the Smart Fuel Cell C20-MP
Direct Hybrid Fuel Cell System as Solider Power Source," Confer-
ence Proceedings of the 2005 Annual Meeting of the American Insti-
tute of Chemical Engineers, Oct. 30-Nov. 4, 2005, 17 pages.

* cited by examiner

Primary Examiner — Rosemary K Tarcza

(74) *Attorney, Agent, or Firm* — Steven W. Winn


(57) **CLAIM**

The ornamental design for the battery pack, as shown and
described.

DESCRIPTION

FIG. 1 is a front isometric view of a first embodiment of a
battery pack showing my new design.
FIG. 2 is a front elevation view thereof.
FIG. 3 is a back elevation view thereof.
FIG. 4 is a left side elevation view thereof.
FIG. 5 is a right side elevation view thereof.
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.
Any broken lines are for illustrative purposes only and form
no part of the claimed design.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7