



US00D674748S

(12) **United States Design Patent**  
**Ferber et al.**

(10) **Patent No.:** **US D674,748 S**  
(45) **Date of Patent:** **\*\* Jan. 22, 2013**

(54) **PORTABLE POWER SUPPLY FOR A MOBILE DEVICE**

(75) Inventors: **Roman S. Ferber**, West Bloomfield, MI (US); **Hing Wah Tsang**, Ajax (CA); **Paul Daniel Farrugia**, Whitby (CA); **John Liu**, Mississauga (CA); **Chad Robert Stewart**, Bowmanville (CA); **Andrew Steven Juhasz**, Ajax (CA); **David William Riley**, Markham (CA)

(73) Assignee: **FKA Distributing Co.**

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/420,000**

(22) Filed: **May 3, 2012**

(51) **LOC (9) Cl.** ..... **13-02**

(52) **U.S. Cl.** ..... **D13/108**

(58) **Field of Classification Search** ..... D13/103, D13/107-110, 118-119, 184, 199; D14/251, D14/253, 432, 434; 320/107-115

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D280,317 S *	8/1985	Boyd et al. ....	D13/103
D483,721 S *	12/2003	Kim et al. ....	D13/110
D574,834 S *	8/2008	Chen ....	D14/432

(Continued)

*Primary Examiner* — Rosemary K Tarcza

(74) *Attorney, Agent, or Firm* — Brooks Kushman P.C.


(57) **CLAIM**

The ornamental design for a portable power supply for a mobile device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a portable power supply for a mobile device according to an embodiment;  
 FIG. 2 is a perspective view of the power supply of FIG. 1 shown with a connector in an unwrapped configuration;  
 FIG. 3 is another perspective view of the power supply of FIG. 1 shown with a connector in an unwrapped configuration;  
 FIG. 4 is a front plan view of the power supply of FIG. 1;  
 FIG. 5 is a rear plan view of the power supply of FIG. 1;  
 FIG. 6 is a left side plan view of the power supply of FIG. 1;  
 FIG. 7 is a right side plan view of the power supply of FIG. 1;  
 FIG. 8 is a top plan view of the power supply of FIG. 1;  
 FIG. 9 is a bottom plan view of the power supply of FIG. 1;  
 FIG. 10 is a perspective view of a portable power supply for a mobile device according to another embodiment;  
 FIG. 11 is a perspective view of the power supply of FIG. 10 shown with a connector in an unwrapped configuration;  
 FIG. 12 is another perspective view of the power supply of FIG. 10 shown with a connector in an unwrapped configuration;  
 FIG. 13 is a front plan view of the power supply of FIG. 10;  
 FIG. 14 is a rear plan view of the power supply of FIG. 10;  
 FIG. 15 is a left side plan view of the power supply of FIG. 10;  
 FIG. 16 is a right side plan view of the power supply of FIG. 10;  
 FIG. 17 is a top plan view of the power supply of FIG. 10; and,  
 FIG. 18 is a bottom plan view of the power supply of FIG. 10.  
 The broken lines are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 12 Drawing Sheets**



# US D674,748 S


Page 2

---


## U.S. PATENT DOCUMENTS

D580,354 S *	11/2008	Dunbar et al. ....	D13/108	D652,379 S *	1/2012	Vandiver .....	D13/108
D619,999 S *	7/2010	Wu et al. ....	D14/240	D652,381 S *	1/2012	Tien .....	D13/110
D628,153 S *	11/2010	Fujii et al. ....	D13/108	D656,096 S *	3/2012	Sasada et al. ....	D13/108
D628,535 S *	12/2010	Cheng .....	D13/108	D659,094 S *	5/2012	Brand et al. ....	D13/108
D645,049 S *	9/2011	Faranda et al. ....	D14/480.5	D662,050 S *	6/2012	Tien .....	D13/108
D645,050 S *	9/2011	Faranda et al. ....	D14/480.5				


\* cited by examiner




*Fig. 1*




*Fig. 2*




*Fig. 3*




*Fig. 5*




*Fig. 4*




*Fig. 7*



*Fig. 6*




*Fig. 8*




*Fig. 9*







*Fig. 10*




*Fig. 11*



*Fig. 12*




*Fig. 14*




*Fig. 13*




*Fig. 16*



*Fig. 15*



*Fig. 17*



*Fig. 18*