



US00D674748S

(12) **United States Design Patent**
Ferber et al.

(10) **Patent No.:** **US D674,748 S**
(45) **Date of Patent:** **** Jan. 22, 2013**

(54) **PORTABLE POWER SUPPLY FOR A MOBILE DEVICE**

(75) Inventors: **Roman S. Ferber**, West Bloomfield, MI (US); **Hing Wah Tsang**, Ajax (CA); **Paul Daniel Farrugia**, Whitby (CA); **John Liu**, Mississauga (CA); **Chad Robert Stewart**, Bowmanville (CA); **Andrew Steven Juhasz**, Ajax (CA); **David William Riley**, Markham (CA)

(73) Assignee: **FKA Distributing Co.**

(**) Term: **14 Years**

(21) Appl. No.: **29/420,000**

(22) Filed: **May 3, 2012**

(51) **LOC (9) Cl.** **13-02**

(52) **U.S. Cl.** **D13/108**

(58) **Field of Classification Search** D13/103, D13/107-110, 118-119, 184, 199; D14/251, D14/253, 432, 434; 320/107-115

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D280,317 S *	8/1985	Boyd et al.	D13/103
D483,721 S *	12/2003	Kim et al.	D13/110
D574,834 S *	8/2008	Chen	D14/432

(Continued)

Primary Examiner — Rosemary K Tarcza

(74) *Attorney, Agent, or Firm* — Brooks Kushman P.C.


(57) **CLAIM**

The ornamental design for a portable power supply for a mobile device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a portable power supply for a mobile device according to an embodiment;
 FIG. 2 is a perspective view of the power supply of FIG. 1 shown with a connector in an unwrapped configuration;
 FIG. 3 is another perspective view of the power supply of FIG. 1 shown with a connector in an unwrapped configuration;
 FIG. 4 is a front plan view of the power supply of FIG. 1;
 FIG. 5 is a rear plan view of the power supply of FIG. 1;
 FIG. 6 is a left side plan view of the power supply of FIG. 1;
 FIG. 7 is a right side plan view of the power supply of FIG. 1;
 FIG. 8 is a top plan view of the power supply of FIG. 1;
 FIG. 9 is a bottom plan view of the power supply of FIG. 1;
 FIG. 10 is a perspective view of a portable power supply for a mobile device according to another embodiment;
 FIG. 11 is a perspective view of the power supply of FIG. 10 shown with a connector in an unwrapped configuration;
 FIG. 12 is another perspective view of the power supply of FIG. 10 shown with a connector in an unwrapped configuration;
 FIG. 13 is a front plan view of the power supply of FIG. 10;
 FIG. 14 is a rear plan view of the power supply of FIG. 10;
 FIG. 15 is a left side plan view of the power supply of FIG. 10;
 FIG. 16 is a right side plan view of the power supply of FIG. 10;
 FIG. 17 is a top plan view of the power supply of FIG. 10; and,
 FIG. 18 is a bottom plan view of the power supply of FIG. 10.
 The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 12 Drawing Sheets



US D674,748 S

Page 2

U.S. PATENT DOCUMENTS

D580,354 S *	11/2008	Dunbar et al.	D13/108	D652,379 S *	1/2012	Vandiver	D13/108
D619,999 S *	7/2010	Wu et al.	D14/240	D652,381 S *	1/2012	Tien	D13/110
D628,153 S *	11/2010	Fujii et al.	D13/108	D656,096 S *	3/2012	Sasada et al.	D13/108
D628,535 S *	12/2010	Cheng	D13/108	D659,094 S *	5/2012	Brand et al.	D13/108
D645,049 S *	9/2011	Faranda et al.	D14/480.5	D662,050 S *	6/2012	Tien	D13/108
D645,050 S *	9/2011	Faranda et al.	D14/480.5				

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 5




Fig. 4




Fig. 7




Fig. 6




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 14




Fig. 13



Fig. 16




Fig. 15




Fig. 17




Fig. 18