



US00D674859S

(12) **United States Design Patent**
Robbins et al.

(10) **Patent No.:** **US D674,859 S**
(45) **Date of Patent:** **** Jan. 22, 2013**

(54) **FIREARM**

(75) Inventors: **Laurance Robbins**, Plainville, CT (US);
Kevin Audibert, Wolcott, CT (US)

(73) Assignee: **Colt Defense, LLC**, West Hartford, CT
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/386,652**

(22) Filed: **Mar. 3, 2011**

Related U.S. Application Data

(63) Continuation-in-part of application No. 12/898,610,
filed on Oct. 5, 2010.

(51) **LOC (9) Cl.** **22-01**

(52) **U.S. Cl.** **D22/108**

(58) **Field of Classification Search** D22/100,
D22/101, 103, 104, 108, 199; D21/572,
D21/573; 42/51, 71.01, 75.01, 75.02, 90,
42/94, 134, 136, 139, 125, 72, 111; 362/110;
89/40.06, 41.19, 37.04, 33.04, 191.01, 200-204;
124/67, 66, 72, 74

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,198,076	A *	8/1965	Stoner	89/128
4,648,192	A	3/1987	Harness	
5,343,650	A *	9/1994	Swan	42/117
5,900,577	A	5/1999	Robinson et al.	
6,293,040	B1	9/2001	Luth	
6,536,152	B1 *	3/2003	Wisz	42/71.01
6,931,775	B2 *	8/2005	Burnett	42/72
7,059,076	B2 *	6/2006	Stoner et al.	42/75.01
7,131,228	B2	11/2006	Hochstrate et al.	
7,363,741	B2 *	4/2008	DeSomma et al.	42/85
7,584,567	B1 *	9/2009	DeSomma et al.	42/71.01
7,712,241	B2 *	5/2010	Teetzal et al.	42/72
7,716,865	B2 *	5/2010	Daniel et al.	42/75.02
7,934,447	B2	5/2011	Kuczynko et al.	
7,938,055	B2 *	5/2011	Hochstrate et al.	89/193
7,966,761	B1	6/2011	Kuczynko et al.	

7,971,379	B2 *	7/2011	Robinson et al.	42/7
7,971,382	B2 *	7/2011	Robinson et al.	42/75.02
8,015,908	B2	9/2011	Kline et al.	
8,028,459	B2 *	10/2011	Williams	42/90
8,028,460	B2 *	10/2011	Williams	42/90
D649,093	S	11/2011	Yokoi et al.	
D649,498	S	11/2011	Sowa et al.	
8,051,595	B2 *	11/2011	Hochstrate et al.	42/75.01
D651,948	S	1/2012	Fukui et al.	
8,087,194	B1 *	1/2012	Vuksanovich	42/75.02
8,141,287	B2 *	3/2012	Dubois	42/75.02
8,234,808	B2	8/2012	Lewis et al.	
8,234,809	B2 *	8/2012	Daniel	42/75.03
2003/0101631	A1	6/2003	Fitzpatrick et al.	
2006/0010748	A1 *	1/2006	Stoner et al.	42/71.01
2006/0236582	A1 *	10/2006	Lewis et al.	42/73
2009/0031606	A1 *	2/2009	Robinson et al.	42/16
2009/0178325	A1	7/2009	Veilleux	
2010/0000138	A1 *	1/2010	Brown	42/90
2010/0126054	A1 *	5/2010	Daniel et al.	42/71.01
2010/0300277	A1 *	12/2010	Hochstrate et al.	89/179
2011/0056107	A1 *	3/2011	Underwood	42/18
2011/0061281	A1 *	3/2011	Kapusta et al.	42/71.01
2011/0119981	A1	5/2011	Larue	
2011/0173862	A1 *	7/2011	Williams	42/72
2011/0265640	A1	11/2011	Kuczynko et al.	
2011/0283585	A1 *	11/2011	Cabahug et al.	42/73
2012/0167433	A1	7/2012	Robbins et al.	

FOREIGN PATENT DOCUMENTS

WO 2006137874 12/2006

OTHER PUBLICATIONS

Brownells, Catalog #6 1911 Catalog—2009-2010. p. 3—Fourth from the top (Tactical Carbine), Flat top receiver with cooling slots angled towards the buttstock end of firearm.*

International Preliminary Report on Patentability mailed Apr. 19, 2012 for International Application No. PCT/US2010/051533, International filing date Oct. 5, 2010; Report Issued Apr. 11, 2012.

International Search Report dated Nov. 29, 2010 for International Application No. PCT/US2010/051533.


Written Opinion dated Nov. 29, 2010 for International Application No. PCT/US2010/051533.

Brownells, Catalog #6 AR-15/M16 & AR-Type. 308 Catalog—2010-2011 (Examiner's Office).

Quad-Rail Handguard (2 pages) <http://web.archive.org/web/20010908173536/http://www.cmore.com> (dated Jul. 24, 2008).

* cited by examiner

Primary Examiner — Michael A Pratt



(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP

(57)

CLAIM

We claim, the ornamental design for a firearm, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a first embodiment of the invention;

FIG. 2 is a right side view of the embodiment of FIG. 1;

FIG. 3 is a left side view of the embodiment of FIG. 1;

FIG. 4 is a top view of the embodiment of FIG. 1;

FIG. 5 is a bottom view of the embodiment of FIG. 1;

FIG. 6 is a front view of the embodiment of FIG. 1;

FIG. 7 is a rear view of the embodiment of FIG. 1;

FIG. 8 is a bottom perspective view of the embodiment of FIG. 1;

FIG. 9 is a top perspective view of the embodiment of FIG. 1 with a barrel installed;

FIG. 10 is a bottom perspective view of the embodiment of FIG. 1 with a barrel installed;

FIG. 11 is a perspective view of a second embodiment of the invention;

FIG. 12 is a right side view of the embodiment of FIG. 11;

FIG. 13 is a left side view of the embodiment of FIG. 11;

FIG. 14 is a top view of the embodiment of FIG. 11;

FIG. 15 is a bottom view of the embodiment of FIG. 11;

FIG. 16 is a front view of the embodiment of FIG. 11;

FIG. 17 is a rear view of the embodiment of FIG. 11;

FIG. 18 is a bottom perspective view of the embodiment of FIG. 11;

FIG. 19 is a top perspective view of a third embodiment of the invention;

FIG. 20 is a right side view of the embodiment of FIG. 19;

FIG. 21 is a left side view of the embodiment of FIG. 19;

FIG. 22 is a top view of the embodiment of FIG. 19;

FIG. 23 is a bottom view of the embodiment of FIG. 19, the front view being the same as FIG. 6, the rear view being the same as FIG. 7;

FIG. 24 is a bottom perspective view of the embodiment of FIG. 19;

FIG. 25 is a top perspective view of the embodiment of FIG. 12 with a barrel installed;

FIG. 26 is a bottom perspective view of the embodiment of FIG. 19 with a barrel installed;

FIG. 27 is a perspective view illustration of a fourth embodiment of the invention;

FIG. 28 is a right side view of the embodiment of FIG. 27;

FIG. 29 is a left side view of the embodiment of FIG. 27;

FIG. 30 is a top view of the embodiment of FIG. 27;

FIG. 31 is a bottom view of the embodiment of FIG. 27; and,

FIG. 32 is a bottom perspective view of the embodiment of FIG. 27.

The dash-dot-dot lines shown in FIGS. 9-18 and FIGS. 25-32 are environmental structure and not part of the claimed design.

1 Claim, 32 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32