



US00D675119S

(12) **United States Design Patent**
Cobbett et al.

(10) **Patent No.:** **US D675,119 S**
(45) **Date of Patent:** **** Jan. 29, 2013**

(54) **SHOE INSERT WITH ELECTRONIC DATA MODULE**

(75) Inventors: **Jamian R. Cobbett**, Portland, OR (US);
Kyle Schepke, Portland, OR (US); **Steve Jarvis**, Portland, OR (US)

(73) Assignee: **NIKE, Inc.**, Beaverton, OR (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/413,863**

(22) Filed: **Feb. 22, 2012**

(51) **LOC (9) Cl.** **10-04**

(52) **U.S. Cl.** **D10/70**

(58) **Field of Classification Search** D2/946,
D2/947, 961; D10/70; 12/146 M; 36/22 A,
36/22 R, 25 R, 43, 44, 114, 132, 136; 73/597;
235/105; 340/323 R, 539.13; 377/23, 24.2;
482/74; 702/141, 142, 144, 160, 176, 182
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|-----|---------|---------------|--------|
| 4,649,552 | A * | 3/1987 | Yukawa | 377/24 |
| 4,651,446 | A * | 3/1987 | Yukawa et al. | 36/132 |
| D297,381 | S | 8/1988 | Sugiyama | |
| 5,068,983 | A | 12/1991 | Marc | |
| 5,077,915 | A | 1/1992 | Gross | |
| 5,255,451 | A | 10/1993 | Tong | |
| D385,394 | S | 10/1997 | Passke | |
| D396,343 | S | 7/1998 | Foxen | |

| | | | | |
|--------------|------|---------|-----------------|------------|
| D421,400 | S * | 3/2000 | Guadagno et al. | D10/70 |
| D436,049 | S * | 1/2001 | Guadagno et al. | D10/70 |
| D509,951 | S | 9/2005 | Johnson | |
| D512,555 | S | 12/2005 | Tseng | |
| D548,937 | S * | 8/2007 | Brodie | D10/70 |
| 7,392,604 | B2 | 7/2008 | Greene | |
| 7,610,696 | B2 | 11/2009 | Davis | |
| D610,476 | S * | 2/2010 | Daniel | D10/70 |
| D620,820 | S * | 8/2010 | Daniel | D10/70 |
| 2011/0260857 | A1 * | 10/2011 | Hamill | 340/539.13 |
| 2011/0296714 | A1 | 12/2011 | Holzer | |

* cited by examiner

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(57) **CLAIM**


The ornamental design for a shoe insert with electronic data module, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a shoe insert with electronic data module showing our new design; FIG. 2 is a top view thereof; FIG. 3 is a bottom view thereof; FIG. 4 is a right side view thereof; FIG. 5 is a left side view thereof; FIG. 6 is a front view thereof; and, FIG. 7 is a rear view thereof.

The broken line showing of the remainder of the shoe insert and the bottom and sides of the housing for the electronic module is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4

FIG. 5




FIG. 6



FIG. 7