



US00D675286S

(12) **United States Design Patent**
Gray

(10) **Patent No.:** **US D675,286 S**
(45) **Date of Patent:** **** Jan. 29, 2013**

(54) **FILTER DEVICE FOR A PITCHER**
(75) Inventor: **Anna-Karin Gray**, Stockholm (SE)
(73) Assignee: **Aktiebolaget Electrolux**, Stockholm (SE)

D626,778 S 11/2010 Bell et al.
D626,779 S 11/2010 Bell et al.
D632,520 S 2/2011 Bell et al.
D636,627 S 4/2011 Harris et al.
D636,631 S 4/2011 Muddana et al.
D638,246 S 5/2011 Harris et al.
D639,102 S 6/2011 Harris et al.

(**) Term: **14 Years**
(21) Appl. No.: **29/428,890**
(22) Filed: **Aug. 3, 2012**

FOREIGN PATENT DOCUMENTS

DE M9301281-0002 9/1993
DE M9301281-0003 9/1993
DE M9803309-0001 1/1999
DE M9803309-0002 1/1999
DE M9804424-0001 1/1999
DE M9804424-0002 1/1999
DE 49909318-0001 1/2000
DE 49909318-0002 1/2000
DE 49909318-0003 1/2000
DE 49909318-0004 1/2000
DE 49909318-0005 1/2000
DE 49909318-0006 1/2000
DE 49909319-0001 1/2000
DE 49909319-0002 1/2000
DE 49909319-0003 1/2000

Related U.S. Application Data
(62) Division of application No. 29/401,693, filed on Sep. 14, 2011, now Pat. No. Des. 667,924.

(30) **Foreign Application Priority Data**
Mar. 15, 2011 (EM) 001265284

(51) **LOC (9) Cl.** **23-01**
(52) **U.S. Cl.** **D23/209**
(58) **Field of Classification Search** D23/207,
D23/209; 210/464, 473, 479, 482, 474
See application file for complete search history.

(Continued)

Primary Examiner — Robin V Webster
(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(56) **References Cited**

U.S. PATENT DOCUMENTS


D336,760 S 6/1993 Raunkjaer
D501,755 S 2/2005 Namur
D506,639 S 6/2005 Jalet
D517,852 S 3/2006 Jalet
D520,597 S 5/2006 Witte
D546,113 S 7/2007 Ruoff
D573,394 S 7/2008 Tullney et al.
D573,395 S 7/2008 Tullney et al.
D576,250 S 9/2008 Born et al.
D583,612 S 12/2008 Wu et al.
D584,913 S 1/2009 Green et al.
D585,231 S 1/2009 Bulala et al.
D586,605 S 2/2009 Ma et al.
D616,694 S 6/2010 Kulikov et al.
D618,032 S 6/2010 Kulikov et al.
D626,777 S 11/2010 Bell et al.

(57) **CLAIM**
The ornamental design for a filter device for a pitcher, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a filter device for a pitcher showing my new design;
FIG. 2 is a right side view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a bottom view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a front view thereof; and,
FIG. 7 is a rear view thereof.
The broken line showing of various regions is for environmental purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D675,286 S

Page 2

FOREIGN PATENT DOCUMENTS					
DE	49909319-0004	1/2000	DE	40406643-0001	2/2005
DE	49909319-0005	1/2000	DE	40406643-0002	2/2005
DE	49909319-0006	1/2000	DE	40406643-0003	2/2005
DE	40400924-0001	5/2004	DE	40406643-0004	2/2005
DE	40403886-0001	9/2004	DE	40701888-0001	7/2007
			DE	40701889-0001	7/2007




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7