



US00D675349S

(12) **United States Design Patent**
Parker et al.

(10) **Patent No.:** **US D675,349 S**
(45) **Date of Patent:** **** Jan. 29, 2013**

(54) **LIGHT CONDUCTOR AND LIGHT EMITTER FOR A LED LIGHT SOURCE**

D629,129 S * 12/2010 Lin et al. D26/2
D633,225 S * 2/2011 Yoshimura et al. D26/2
D654,603 S * 2/2012 Chen D26/2

(75) Inventors: **Jeffery R. Parker**, Richfield, OH (US);
Timothy M. Parker, Naples, FL (US)

* cited by examiner

(73) Assignee: **Rambus International Ltd.**, Cayman Islands (KY)

Primary Examiner — Marcus Jackson

(74) *Attorney, Agent, or Firm* — Renner, Otto, Boisselle & Sklar, LLP

(**) Term: **14 Years**

(57) **CLAIM**

The ornamental design for a light conductor and light emitter for a LED light source, as shown and described.

(21) Appl. No.: **29/382,966**

(22) Filed: **Jan. 10, 2011**

DESCRIPTION

(51) **LOC (9) Cl.** **26-04**

(52) **U.S. Cl.** **D26/2**

(58) **Field of Classification Search** D26/1-4;
313/313, 315, 316, 317, 318, 493; 315/52,
315/53, 56, 57, 58

See application file for complete search history.

FIG. 1 is a perspective view of a light conductor and light emitter for a LED light source showing our new design.

FIG. 2 is a front view thereof, the back being a mirror image.

FIG. 3 is a side view of one side thereof, the opposite side being a mirror image.

FIG. 4 is a top view thereof; and,

FIG. 5 is a bottom view thereof.


The broken lines forming a curvilinear shape in FIG. 4 represent an internal boundary of the claimed design while all other broken lines are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D531,741 S * 11/2006 Takahashi D26/2
D534,665 S * 1/2007 Egawa et al. D26/2
D538,953 S * 3/2007 Mama D26/2
D617,915 S * 6/2010 Wada et al. D26/2
D628,720 S * 12/2010 Wang D26/2

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5