

US00D675356S

(12) **United States Design Patent**
Case

(10) **Patent No.:** **US D675,356 S**

(45) **Date of Patent:** **** Jan. 29, 2013**

(54) **LED COLLAR COVER**

(75) Inventor: **Richard N. Case**, Boulder, CO (US)

(73) Assignee: **Nite Ize, Inc.**, Boulder, CO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/408,162**

(22) Filed: **Dec. 7, 2011**

(51) **LOC (9) Cl.** **26-02**

(52) **U.S. Cl.** **D26/39**

(58) **Field of Classification Search** D26/39,
D26/37, 38, 51; 362/570, 555, 105, 108,
362/103, 800, 104, 107, 571; 119/859, 865,
119/857; D24/119, 2; D2/600-609; 2/129-143
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,838,486	A *	12/1931	Ingraham	24/64
2,669,723	A *	2/1954	Thomson	2/133
D176,831	S *	1/1956	Strauss	D2/609
D220,608	S *	5/1971	Schultze	D2/605
D236,294	S *	8/1975	Newell	D2/605
4,173,201	A *	11/1979	Chao et al.	119/859
4,523,258	A *	6/1985	Morse et al.	362/108
4,652,981	A *	3/1987	Glynn	362/103
D293,278	S *	12/1987	Smith	D2/602
4,812,953	A *	3/1989	Ask et al.	362/103
4,895,110	A *	1/1990	LoCascio	119/859
4,909,189	A *	3/1990	Minotti	119/859
D324,766	S *	3/1992	Bacchus	D2/860

D353,033	S *	12/1994	Johanson	D29/101.5
D387,186	S *	12/1997	Drone	D2/501
D408,542	S *	4/1999	Hoover, Jr.	D24/206
6,056,412	A *	5/2000	Atlee et al.	362/103
6,336,730	B1 *	1/2002	Hong	362/108
7,431,471	B1 *	10/2008	Wade	362/103
D596,325	S *	7/2009	Barbour	D26/39
D623,309	S *	9/2010	Turtzo et al.	D24/210
2006/0198120	A1 *	9/2006	Guzman	362/103
2010/0277944	A1 *	11/2010	Hurwitz	362/570

* cited by examiner

Primary Examiner — Ian Simmons

Assistant Examiner — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — Patton Boggs LLP

(57) **CLAIM**

The ornamental design for a LED collar cover, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of one embodiment of a LED collar cover;

FIG. 2 is a rear perspective view of the LED collar cover of FIG. 1;

FIG. 3 is a front view of the LED collar cover of FIG. 1;

FIG. 4 is a right side view of the LED collar cover of FIG. 1;

FIG. 5 is a bottom view of the LED collar cover of FIG. 1;

FIG. 6 is a rear view of the LED collar cover of FIG. 1;

FIG. 7 is a left side view of the LED collar cover of FIG. 1; and,

FIG. 8 is a top view of the LED collar cover of FIG. 1.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6




FIG. 7



FIG. 8

