



US00D675414S

(12) **United States Design Patent**
van Haasteren

(10) **Patent No.:** **US D675,414 S**
(45) **Date of Patent:** **** Feb. 5, 2013**

(54) **INSOLE**

(75) Inventor: **Joost Robert van Haasteren**, Rotterdam (NL)

(73) Assignee: **S.C. Johnson & Son, Inc.**, Racine, WI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/384,389**

(22) Filed: **Jan. 31, 2011**

(30) **Foreign Application Priority Data**

Aug. 5, 2010 (EM) 001740697-0001

(51) **LOC (9) Cl.** **02-99**

(52) **U.S. Cl.** **D2/961**

(58) **Field of Classification Search** D2/961;
36/71, 72 B, 43, 44

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|---------------|---------|----------------|--------|
| 1,780,574 A * | 11/1930 | Williams | 36/43 |
| 2,268,777 A | 1/1942 | Scholl | |
| 2,347,207 A * | 4/1944 | Margolin | 36/44 |
| 2,379,366 A | 6/1945 | Lumbard | |
| 2,383,122 A | 8/1945 | Ghez et al. | |
| D257,647 S | 12/1980 | Combaret | |
| 4,268,980 A | 5/1981 | Gudas | |
| 4,435,910 A | 3/1984 | Marc | |
| 4,439,936 A | 4/1984 | Clarke et al. | |
| 4,507,879 A | 4/1985 | Dassler | |
| 4,619,056 A | 10/1986 | Lin et al. | |
| D287,302 S * | 12/1986 | Peterson | D2/961 |
| D302,764 S | 8/1989 | Peoples et al. | |
| 4,852,273 A | 8/1989 | Hamy | |
| D330,802 S | 11/1992 | Edmund et al. | |
| D341,025 S | 11/1993 | Avar | |
| 5,440,826 A | 8/1995 | Whatley | |
| 5,509,218 A | 4/1996 | Arcan et al. | |
| 5,669,162 A | 9/1997 | Dyer | |
| 5,713,143 A * | 2/1998 | Kendall | 36/43 |
| D392,446 S | 3/1998 | Fogg | |
| 5,787,609 A | 8/1998 | Wu | |

| | | |
|--------------|---------|---------------------|
| D398,745 S | 9/1998 | Cass |
| 6,026,593 A | 2/2000 | Harmon-Weiss et al. |
| D432,761 S | 10/2000 | Patterson et al. |
| D437,107 S | 2/2001 | Patterson et al. |
| 6,199,302 B1 | 3/2001 | Kayano |
| D441,943 S | 5/2001 | Patterson et al. |
| 6,266,897 B1 | 7/2001 | Seydel et al. |
| D447,323 S | 9/2001 | Cadet |
| D458,441 S | 6/2002 | Gillespie |

(Continued)

FOREIGN PATENT DOCUMENTS

| | | |
|----|--------------------|---------|
| DE | 20 2010 015 777 U1 | 3/2011 |
| EM | 001628967-0001 | 11/2009 |

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 29/349,712, filed Apr. 26, 2010, Claassen.

(Continued)

Primary Examiner — Dominic Simone

(57) **CLAIM**


I claim the ornamental design for an insole, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of an insole showing my new design;
FIG. 2 is a bottom perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a back view thereof;
FIG. 5 is a top view thereof;
FIG. 6 is a bottom view thereof;
FIG. 7 is a right side view thereof; and,
FIG. 8 is a left side view thereof.

The ornamental design which is claimed is shown in solid lines in the drawings. The broken lines in the drawings are for illustrative purposes only and form no part of the claimed design. The dash-dot boundary line in FIGS. 2, 6 and 7 defines the boundary of the claimed design and forms no part of the claimed design.

1 Claim, 6 Drawing Sheets



US D675,414 S

Page 2

U.S. PATENT DOCUMENTS

6,425,194 B1 7/2002 Brie
D474,876 S 5/2003 Ortuno Santa
6,763,613 B2 7/2004 Brown
D502,594 S 3/2005 Belley et al.
6,865,759 B2 3/2005 Pearce
D504,007 S 4/2005 Cintron
D504,555 S 5/2005 Urie
D507,097 S 7/2005 Sonnergren
D515,293 S 2/2006 Maguire
D522,724 S 6/2006 Urie et al.
7,140,126 B2 11/2006 Crane et al.
7,159,342 B2 1/2007 Grisoni et al.
D542,015 S 5/2007 McClaskie
D547,933 S 8/2007 Loverin
D547,934 S 8/2007 Loverin
D548,434 S 8/2007 McClaskie
D551,832 S 10/2007 Scott
D552,837 S 10/2007 Scott
D554,333 S 11/2007 Belley et al.
D560,333 S 1/2008 McClaskie
D561,438 S 2/2008 Belley
D569,084 S 5/2008 Hatfield et al.
D570,080 S 6/2008 Feller et al.
D574,134 S 8/2008 Petrie
D583,134 S 12/2008 Moore et al.
D586,091 S 2/2009 Koh
7,490,416 B2 2/2009 Townsend
D587,440 S 3/2009 Belley et al.
7,506,459 B2 3/2009 Grisoni et al.
D594,193 S 6/2009 Duffy
D595,038 S 6/2009 Kirschhoffer et al.
D601,786 S 10/2009 Avent et al.
D602,238 S 10/2009 Avent et al.
D602,683 S 10/2009 Roundhouse

D604,035 S 11/2009 Lemaster
D617,086 S * 6/2010 Avent et al. D2/961
D619,342 S 7/2010 McClaskie
D634,527 S 3/2011 Butler
D640,454 S * 6/2011 Claassen D2/961
D648,106 S 11/2011 Claassen
2002/0004999 A1 1/2002 Caine et al.
2006/0026865 A1 2/2006 Grisoni et al.
2008/0271340 A1 11/2008 Grisoni et al.
2009/0133292 A1 5/2009 Salvatelli et al.
2009/0241372 A1 10/2009 Ryu
2010/0058540 A1 3/2010 Calvert
2011/0023328 A1 2/2011 Testa et al.

FOREIGN PATENT DOCUMENTS

EM 001628967-0003 11/2009
EM 001671074-0001 2/2010
EP 1 864 779 B1 12/2010
GB 2085533 2/1999
GB 3022349 9/2005
GB 4011169 5/2009
WO WO 99/47014 9/1999
WO WO 2005/051115 A1 6/2005

OTHER PUBLICATIONS

U.S. Appl. No. 29/384,459, filed Jan. 31, 2011, van Haasteren.
U.S. Appl. No. 29/384,375, filed Jan. 31, 2011, van Haasteren.
Specification and Drawings for PCT/NL2010/050710, Title: Insole Pad for Footwear, filed Oct. 25, 2010. (Application not yet published).
U.S. Appl. No. 29/403,812, filed Oct. 11, 2011, van Haasteren.
U.S. Appl. No. 29/396,076, filed Jun. 24, 2011, van Haasteren.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8