

US00D675525S

(12) **United States Design Patent**  
**Hanai et al.**

(10) **Patent No.:** **US D675,525 S**

(45) **Date of Patent:** **\*\* Feb. 5, 2013**

(54) **ACTUATOR FOR AN AEROSOL SPRAY BOTTLE**

D387,621 S \* 12/1997 Sullivan et al. .... D7/510  
D396,190 S \* 7/1998 Haley ..... D9/449  
5,873,478 A \* 2/1999 Sullivan et al. .... 215/389

(75) Inventors: **Nobuyuki Hanai**, Saitama (JP); **Ken Ogata**, Saitama (JP)

\* cited by examiner

(73) Assignee: **Toyo Aerosol Industry Co., Ltd.**, Tokyo (JP)

*Primary Examiner* — Susan Bennett Hattan

(74) *Attorney, Agent, or Firm* — IpHorgan Ltd.

(\*\*) Term: **14 Years**

(57) **CLAIM**

The ornamental design for an actuator for an aerosol spray bottle, as shown and described.

(21) Appl. No.: **29/381,114**

(22) Filed: **Dec. 15, 2010**

**DESCRIPTION**

(30) **Foreign Application Priority Data**

Jul. 30, 2010 (JP) ..... 2010-18638

(51) **LOC (9) Cl.** ..... **09-07**

(52) **U.S. Cl.** ..... **D9/450**; D9/447; D9/449

(58) **Field of Classification Search** ..... D9/693,  
D9/687, 686, 450, 449, 448, 447, 434; D7/510,  
D7/392.1; 239/333; 222/566; 220/705;  
215/389

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D214,883 S \* 8/1969 Hazard ..... D9/450  
D214,884 S \* 8/1969 Hazard ..... D9/450  
D217,711 S \* 6/1970 Hazard ..... D9/450  
D226,806 S \* 5/1973 Hazard ..... D9/450  
D244,513 S \* 5/1977 Butcher ..... D9/448  
D345,673 S \* 4/1994 Dark ..... D7/392.1  
D369,943 S \* 5/1996 Dark ..... D7/392.1

FIG. 1 is a left perspective view of an actuator for an aerosol spray bottle, and an aerosol spray bottle, showing the new ornamental design;

FIG. 2 is a right perspective view of the actuator for an aerosol spray bottle, and an aerosol spray bottle, showing the new ornamental design;

FIG. 3 is a left view of the actuator for an aerosol spray bottle; FIG. 4 is a right view of the actuator for an aerosol spray bottle;


FIG. 5 is a back view of the actuator for an aerosol spray bottle, wherein the front view is a mirror image thereof;

FIG. 6 is a top view of the actuator for an aerosol spray bottle; FIG. 7 is a bottom view of the actuator for an aerosol spray bottle; and,

FIG. 8 is a perspective view of an aerosol spray bottle.

The broken lines shown in the drawings are included for the purpose of illustrating structural environment and form no part of the claimed design.

**1 Claim, 8 Drawing Sheets**






FIG. 1





FIG. 2



**FIG. 3**




FIG. 4




FIG. 5





FIG. 6



**FIG. 7**






FIG. 8