



US00D675625S

(12) **United States Design Patent**
Hasbrook et al.

(10) **Patent No.:** **US D675,625 S**
(45) **Date of Patent:** **** Feb. 5, 2013**

- (54) **TABLET COMPUTER KEYBOARD-CASE**
 - (75) Inventors: **William Benjamin Hasbrook**, Tualatin, OR (US); **William Westwood**, Escondido, CA (US); **Sean Michael Stuck**, Portland, OR (US)
 - (73) Assignee: **mophie, Inc.**, Santa Ana, CA (US)
 - (**) Term: **14 Years**
 - (21) Appl. No.: **29/400,009**
 - (22) Filed: **Aug. 22, 2011**
 - (51) **LOC (9) Cl.** **14-02**
 - (52) **U.S. Cl.** **D14/440**
 - (58) **Field of Classification Search** D14/250, D14/251, 253, 240, 217, 496, 440, 203.3, D14/203.4, 203.5, 203.8, 432, 439, 300; D3/218, 215, 201; 220/4.02; 248/309.1; 361/679.56, 679.03; 379/426, 433.11, 455; 455/575.1, 575.8; 190/100; 206/305, 320
- See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,259,568 A * 3/1981 Dynesen 235/1 D
(Continued)

Primary Examiner — Cynthia Underwood

(57) **CLAIM**


The ornamental design for a tablet computer keyboard-case, as shown and described in the Figures.

DESCRIPTION

FIG. 1 is a three-quarter view of a tablet computer being inserted into the tablet computer keyboard-case, the tablet computer keyboard-case being opened to 180 degrees;
 FIG. 2 is a three-quarter view of the tablet computer being inserted into the tablet computer keyboard-case, the tablet computer keyboard-case being opened to 90 degrees;
 FIG. 3 is a three-quarter view of the tablet computer within the tablet computer keyboard-case, the tablet computer keyboard-case being open;

FIG. 4 is a three-quarter view of the tablet computer within the tablet computer keyboard-case, the tablet computer keyboard-case being opened to 90 degrees;
 FIG. 5 is a three-quarter view of the tablet computer within the tablet computer keyboard-case, where the tablet computer is rotated less than 90 degrees;
 FIG. 6 is a three-quarter view of the tablet computer within the tablet computer keyboard-case, where the tablet computer is rotated 90 degrees;
 FIG. 7 is a three-quarter view of the tablet computer within the tablet computer keyboard-case, where the tablet computer is rotated more than 90 degrees;
 FIG. 8 is a three-quarter view of the tablet computer within the tablet computer keyboard-case, where the tablet computer is rotated 180 degrees;
 FIG. 9 is a bottom three-quarter view of the tablet computer within the tablet computer keyboard-case, the tablet computer keyboard-case being open, and a case stand being closed;
 FIG. 10 is a bottom three-quarter view of the tablet computer within the tablet computer keyboard-case, the tablet computer keyboard-case being open, and a case stand being partially-open;
 FIG. 11 is a bottom three-quarter view of the tablet computer within the tablet computer keyboard-case, the tablet computer keyboard-case being open, and a case stand being open;
 FIG. 12 is a bottom three-quarter view of the tablet computer within the tablet computer keyboard-case, the tablet computer keyboard-case being open, and a case stand being fully-open;
 FIG. 13 is a three-quarter view of the tablet computer within the tablet computer keyboard-case, where the tablet computer is rotated 180 degrees, and the tablet computer keyboard-case is partially closed;
 FIG. 14 is a three-quarter view of the tablet computer within the tablet computer keyboard-case, where the tablet computer is rotated 180 degrees, and the tablet computer keyboard-case is fully closed; and,
 FIG. 15 is a three-quarter view of the tablet computer within the tablet computer keyboard-case, where the tablet computer is rotated zero degrees, and the tablet computer keyboard-case is fully closed.
 The broken lines showing the tablet computer are for the purpose of illustrating environmental structure, and forms no part of the claimed design.

1 Claim, 15 Drawing Sheets



US D675,625 S

Page 2

U.S. PATENT DOCUMENTS

5,375,076	A *	12/1994	Goodrich et al.	361/679.17	D652,831	S *	1/2012	Lee et al.	D14/315
5,383,138	A *	1/1995	Motoyama et al.	361/679.27	8,139,357	B2 *	3/2012	Trang	361/679.59
5,847,698	A *	12/1998	Reavey et al.	345/173	D659,139	S *	5/2012	Gengler	D14/392
7,042,712	B2 *	5/2006	Ghosh et al.	361/679.03	8,201,687	B2 *	6/2012	Zeliff et al.	206/320
7,318,521	B2 *	1/2008	Lau	206/45.24	8,230,992	B2 *	7/2012	Law et al.	206/320
7,502,225	B2 *	3/2009	Solomon et al.	361/679.41	2001/0009500	A1 *	7/2001	Selker	361/683
D611,045	S *	3/2010	Andre et al.	D14/327	2009/0017883	A1 *	1/2009	Lin	455/575.8
D620,001	S *	7/2010	Reed et al.	D14/315	2010/0294909	A1 *	11/2010	Hauser et al.	248/456
D637,596	S *	5/2011	Akana et al.	D14/341	2012/0194448	A1 *	8/2012	Rothkopf	345/173

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15