



US00D675725S

(12) **United States Design Patent**
Goto

(10) **Patent No.:** **US D675,725 S**
(45) **Date of Patent:** **** Feb. 5, 2013**

(54) **SHEET HEATING ELEMENT FOR TOILET SEATS**

(75) Inventor: **Yoshihide Goto**, Sagae (JP)

(73) Assignee: **Goto Denshi Co., Ltd.**, Sagae-Shi (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/374,653**

(22) Filed: **Sep. 15, 2011**

(30) **Foreign Application Priority Data**

Mar. 18, 2011 (JP) 2011-006156

(51) **LOC (9) Cl.** **23-03**

(52) **U.S. Cl.** **D23/417**

(58) **Field of Classification Search** D23/403-406,
D23/415-419, 421, 422, 499, 343, 345, 347,
D23/349; D7/402, 407, 408, 416, 417; 40/798;
44/520, 530; 52/36.3; 126/25 B, 298, 500,
126/512, 540, 543, 544, 548, 555; 160/DIG. 9;
431/263, 273, 329; 219/549; 4/237, DIG. 6
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|-----------|-----|--------|----------|-------|-----------|
| 1,761,637 | A * | 6/1930 | Muller | | 4/243.2 |
| 1,839,877 | A * | 1/1932 | Heintz | | 264/36.14 |
| 2,593,087 | A * | 4/1952 | Baggett | | 219/521 |
| 2,717,953 | A * | 9/1955 | Brandi | | 219/529 |
| 4,071,915 | A * | 2/1978 | Kurataro | | 4/217 |

| | | | | | |
|--------------|------|---------|--------------|-------|---------|
| 4,850,060 | A * | 7/1989 | Chieng Ming | | 4/237 |
| D460,162 | S * | 7/2002 | Currier | | D23/311 |
| 6,868,561 | B1 * | 3/2005 | Myers | | 4/240 |
| 7,216,374 | B2 * | 5/2007 | Hassan | | 4/420.4 |
| 2001/0034901 | A1 * | 11/2001 | McEntee, Sr. | | 4/237 |
| 2010/0313341 | A1 * | 12/2010 | Jordan | | 4/237 |
| 2011/0239357 | A1 * | 10/2011 | Martin | | 4/237 |
| 2012/0017361 | A1 * | 1/2012 | Lankenau | | 4/237 |

* cited by examiner

Primary Examiner — Karen S Acker

(74) *Attorney, Agent, or Firm* — Masuvalley & Partners

(57) **CLAIM**

The ornamental design for a sheet heating element for toilet seats, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of the sheet heating element for toilet seats, according to the design;
FIG. 2 is a bottom plan view of the sheet heating element for toilet seats according to the design;
FIG. 3 is a left side elevation view of the sheet heating element for toilet seats illustrated in FIG. 1, with the right side elevation view being identical;
FIG. 4 is a front elevation view of the sheet heating element for toilet seats according to the design; and,
FIG. 5 is a rear elevation view of the sheet heating element for toilet seats according to the design.
The broken lines in the drawings represent portions of the sheet heating element for toilet seats that form no part of the claimed design.

1 Claim, 5 Drawing Sheets




FIG. 1




FIG. 2




FIG.3




FIG.4




FIG.5

