



US00D675726S

(12) **United States Design Patent**
Solomon, Jr. et al.

(10) **Patent No.:** **US D675,726 S**

(45) **Date of Patent:** **** Feb. 5, 2013**

(54) **EAR WICK**

DESCRIPTION

(76) Inventors: **John J. Solomon, Jr.**, Lincoln, RI (US);
David F. Bentley, Cumberland, RI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/372,917**

(22) Filed: **Feb. 4, 2011**

(51) **LOC (9) Cl.** **24-04**

(52) **U.S. Cl.** **D24/106**

(58) **Field of Classification Search** D24/106;
D8/27; D28/9; 128/857, 864, 867-868;
181/129-130, 134-135; 604/285-286, 514
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,159,719	A *	7/1979	Haerr	604/514
5,421,818	A *	6/1995	Arenberg	604/21
D379,505	S *	5/1997	Doyle	D24/106
7,073,508	B2 *	7/2006	Moyers	128/857
D601,691	S *	10/2009	Butler et al.	D24/106
7,763,198	B2 *	7/2010	Knott et al.	264/249
7,984,715	B2 *	7/2011	Moyers	128/857

* cited by examiner

Primary Examiner — Wan Laymon



(74) *Attorney, Agent, or Firm* — Elissa M. Kingsland

(57) **CLAIM**

The ornamental design for an ear wick, as shown and described.

FIG. 1 is a front and top isometric view of an ear wick showing the design;
 FIG. 2 is a top plan view thereof, the bottom plan being a mirror image of the top view shown;
 FIG. 3 is an exploded view thereof, illustrating the location of the scrim layers upon the wick layer of the design;
 FIG. 4 is a right side elevational view thereof, the left side being a mirror image of the right view shown;
 FIG. 5 is a front side elevational view thereof;
 FIG. 6 is a back side elevational view thereof;
 FIG. 7 is a front and top isometric view of an alternative embodiment of FIG. 1, the sole difference being the length of the scrim layers upon the wick layer;
 FIG. 8 is a top plan view thereof, the bottom plan being a mirror image of the top view shown;
 FIG. 9 is an exploded view thereof, illustrating the location of the scrim layers upon the wick layer of the design;
 FIG. 10 is a right side elevational view thereof, the left side being a mirror image of the right view shown;
 FIG. 11 is a front side elevational view thereof;
 FIG. 12 is a back side elevational view thereof;
 FIG. 13 is a front and top isometric view of an alternative embodiment of FIG. 1, the sole difference being the elimination of the scrim layers;
 FIG. 14 is a top plan view thereof, the bottom plan being a mirror image of the top view shown;
 FIG. 15 is a right elevational view thereof, the left side being a mirror image of the right view shown;
 FIG. 16 is a front elevational view thereof; and,
 FIG. 17 is a back side elevational view thereof.
 The gray tone/contrasting shown in FIGS. 1-6 and in FIGS. 7-12 solely represents the scrim layers being of a first material and the wick layer being of a second material.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3



Fig. 4



Fig. 5



Fig. 6




Fig. 7




Fig. 8




Fig. 9



Fig. 10



Fig. 11



Fig. 12




Fig. 13




Fig. 14



Fig. 15




Fig. 16



Fig. 17