



US00D675989S

(12) **United States Design Patent**  
**Sebald et al.**

(10) **Patent No.:** **US D675,989 S**  
(45) **Date of Patent:** **\*\* Feb. 12, 2013**

(54) **ELECTRICAL CONNECTOR**

(75) Inventors: **Damien T. Sebald**, Crescent Springs, KY (US); **Brian D. Smith**, Florence, KY (US)

(73) Assignee: **General Cable Technologies Corporation**, Highland Heights, KY (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/408,312**

(22) Filed: **Dec. 9, 2011**

5,627,448 A	5/1997	Okada et al.	
D379,967 S	6/1997	Hashizawa et al.	
5,639,256 A	6/1997	Endo et al.	
D390,827 S	2/1998	Sekimori et al.	
5,751,135 A	5/1998	Fukushima et al.	
5,803,760 A	9/1998	Ito et al.	
5,820,395 A	10/1998	Hashizawa	
5,873,737 A	2/1999	Hashizawa et al.	
6,123,569 A	9/2000	Fukushima et al.	
6,371,768 B1	4/2002	Neblett et al.	
6,910,911 B2	6/2005	Mellott et al.	
7,404,720 B1	7/2008	Frey et al.	
D603,337 S *	11/2009	Katou et al.	D13/120
D615,040 S	5/2010	Slippy et al.	
7,878,866 B1	2/2011	Kwasny et al.	
7,878,886 B2	2/2011	Sun et al.	
D636,334 S *	4/2011	Kato et al.	D13/119

(Continued)

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 29/382,230, filed on Dec. 30, 2010.

(51) **LOC (9) Cl.** ..... **13-03**

(52) **U.S. Cl.** ..... **D13/146; D13/133**

(58) **Field of Classification Search** ..... D13/107-109, D13/118-119, 133, 146, 147, 154, 184, 199; D23/226; 320/104, 107-115, FOR. 104, 320/FOR. 119, DIG. 35

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,810,213 A	3/1989	Chabot	
4,884,980 A	12/1989	Bensing et al.	
5,059,143 A	10/1991	Grabbe	
5,350,312 A *	9/1994	Kuno et al.	439/310
D369,782 S	5/1996	Hashizawa et al.	
D369,783 S	5/1996	Endo et al.	
D370,461 S	6/1996	Yoshioka et al.	
D370,462 S	6/1996	Fukao et al.	
D370,659 S	6/1996	Endo et al.	
5,536,173 A	7/1996	Fujitani et al.	
D373,110 S	8/1996	Fukao et al.	
D375,721 S	11/1996	Endo et al.	
5,577,920 A	11/1996	Itou et al.	
D377,643 S	1/1997	Endo et al.	
D378,292 S	3/1997	Yoshioka et al.	
5,614,808 A	3/1997	Konoya et al.	

**OTHER PUBLICATIONS**

ITT Interconnect Solutions Delivering the Industry's first, UL Rated, J1772 Level 2 "75 AMP" Less than Four Hour Charging Solution (4 pages).

*Primary Examiner* — Daniel Bui

(74) *Attorney, Agent, or Firm* — Blank Rome LLP

(57) **CLAIM**

The ornamental design for an electrical connector, as shown and described.

**DESCRIPTION**

FIG. 1 is a left rear perspective view of an electrical connector showing our new design. The right, rear perspective view is a mirror image thereto;

FIG. 2 is a left side elevation view thereof. The right side elevation view is a mirror image thereto;



FIG. 3 left, front perspective view thereof. The right, front perspective view is a mirror image thereto;

FIG. 4 is a front elevation view thereof; and,

FIG. 5 is a rear elevation view thereof.

The broken line portion of the figure drawings is included for the purpose of illustrating environment and forms no part of the ornamental design.

**1 Claim, 5 Drawing Sheets**



# US D675,989 S

Page 2

---

## U.S. PATENT DOCUMENTS

D641,694 S *	7/2011	Akahori et al.	.....	D13/107	2009/0273310 A1	11/2009	Flack	
8,016,607 B2 *	9/2011	Brown, II	.....	439/353	2010/0197171 A1	8/2010	Matsumoto et al.	
D655,242 S *	3/2012	Holthusen	.....	D13/107	2010/0261361 A1	10/2010	Kasparian et al.	
2007/0037456 A1	2/2007	Burgess			2011/0145141 A1*	6/2011	Blain	..... 705/39

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5