



US00D676023S

(12) **United States Design Patent**
Kelly et al.

(10) **Patent No.:** **US D676,023 S**
(45) **Date of Patent:** **** Feb. 12, 2013**

(54) **WIRELESS COMMUNICATION DEVICE**
(75) Inventors: **Peter M. Kelly**, Park City, UT (US);
Donald C. Stiff, Park City, UT (US);
David George Vogt, Jr., Salt Lake City,
UT (US)

(73) Assignee: **Skullcandy, Inc.**, Park City, UT (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/411,649**

(22) Filed: **Jan. 24, 2012**

(51) **LOC (9) Cl.** **14-01**

(52) **U.S. Cl.** **D14/205**

(58) **Field of Classification Search** D14/205,
D14/206, 223, 192; 181/129, 130, 135; 379/430,
379/431, 428.02; 381/380, 381, 183, 370,
381/322, 371; 455/90.3, 575.2

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|--------------|---------|----------------|-------|-----------|
| D174,053 S * | 2/1955 | Norris | | D14/192 |
| D281,159 S * | 10/1985 | Stevens | | D14/223 |
| D342,947 S * | 1/1994 | Totsuka | | D14/192 |
| D346,380 S * | 4/1994 | Fitzgerald | | D14/138 R |
| D380,476 S * | 7/1997 | Zochert et al. | | D14/249 |
| D394,436 S * | 5/1998 | Hall et al. | | D14/206 |
| D410,008 S * | 5/1999 | Almqvist | | D14/223 |
| D411,200 S * | 6/1999 | Almqvist | | D14/192 |
| D467,895 S * | 12/2002 | Hirano | | D14/192 |
| D495,317 S * | 8/2004 | Sugioka et al. | | D14/205 |
| D502,695 S * | 3/2005 | Suzuki | | D14/192 |

| | | | | |
|----------------|---------|-----------------|-------|-----------|
| 7,031,475 B2 * | 4/2006 | Kuraoka et al. | | 381/74 |
| 7,086,512 B2 * | 8/2006 | Shack et al. | | 191/12.4 |
| D602,002 S * | 10/2009 | Asai | | D14/206 |
| D607,440 S * | 1/2010 | Yamakawa et al. | | D14/225 |
| 7,937,117 B2 * | 5/2011 | Dyer | | 455/569.1 |
| D659,118 S * | 5/2012 | Watters et al. | | D14/206 |

* cited by examiner

Primary Examiner — Paula Greene

(74) *Attorney, Agent, or Firm* — TraskBritt, P.C.

(57) **CLAIM**

The ornamental design for a wireless communication device, as shown and described.

DESCRIPTION

FIG. 1 is a front view of an embodiment of a wireless communication device;

FIG. 2 is a rear view of the wireless communication device shown in FIG. 1;

FIG. 3 is a right side view of the wireless communication device shown in FIG. 1;

FIG. 4 is a left side view of the wireless communication device shown in FIG. 1;

FIG. 5 is a top view of the wireless communication device shown in FIG. 1;

FIG. 6 is a bottom view of the wireless communication device shown in FIG. 1; and,

FIG. 7 is a perspective view of the wireless communication device shown in FIG. 1.

The broken lines in FIGS. 1-7 are for environmental purposes only and do not form any part of the claimed design.

1 Claim, 7 Drawing Sheets




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5



FIGURE 6




FIGURE 7

