



US00D676136S

(12) **United States Design Patent**  
**Arimitsu**

(10) **Patent No.:** **US D676,136 S**  
(45) **Date of Patent:** **\*\* Feb. 12, 2013**

- (54) **TRANSMITTER**
- (75) Inventor: **Takaya Arimitsu**, Tokyo (JP)
- (73) Assignee: **Nihon Kohden Corporation**, Tokyo (JP)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/425,343**
- (22) Filed: **Jun. 21, 2012**

D482,452 S *	11/2003	Davey et al. ....	D24/186
D484,246 S *	12/2003	Lee et al. ....	D24/186
D492,999 S *	7/2004	Lax .....	D24/167
D537,164 S *	2/2007	Shigemori et al. ....	D24/138
D547,454 S *	7/2007	Hsieh .....	D24/186
D549,830 S *	8/2007	Behar et al. ....	D24/186
D551,350 S *	9/2007	Lorimer et al. ....	D24/186
D562,985 S *	2/2008	Brefka et al. ....	D24/186
D569,001 S *	5/2008	Omaki .....	D24/186
D569,521 S *	5/2008	Omaki .....	D24/186
D598,113 S *	8/2009	Flaction et al. ....	D24/187
D606,659 S *	12/2009	Kiani et al. ....	D24/186
D621,515 S *	8/2010	Chua et al. ....	D24/186

**Related U.S. Application Data**

- (62) Division of application No. 29/402,044, filed on Sep. 20, 2011, now Pat. No. Des. 665,504.

\* cited by examiner

*Primary Examiner* — T. Chase Nelson

*Assistant Examiner* — Mark Cavanna

(74) *Attorney, Agent, or Firm* — Osha Liang LLP

(30) **Foreign Application Priority Data**

Apr. 20, 2011 (JP) ..... D2011-009061

(51) **LOC (9) Cl.** ..... **24-01**

(52) **U.S. Cl.** ..... **D24/186**

(58) **Field of Classification Search** ..... D24/107,  
D24/158, 164, 165, 167, 170, 186–187, 231,  
D24/137–138, 169; 600/300, 301, 368, 372,  
600/481, 529, 544, 554, 561; D10/81, 104.1;  
D13/168; D14/137

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D341,423 S *	11/1993	Bible .....	D24/167
D375,792 S *	11/1996	Hillman et al. ....	D24/169
D414,870 S *	10/1999	Saltzstein et al. ....	D24/186
D452,012 S *	12/2001	Phillips .....	D24/186
D459,814 S *	7/2002	Lee et al. ....	D24/186
D479,877 S *	9/2003	Lee et al. ....	D24/186

**CLAIM**

The ornamental design for a transmitter, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the front, top and right side of a transmitter according to a second embodiment showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a left side view thereof; and,

FIG. 7 is a right side view thereof.

The broken lines are included for the purpose of illustrating portions of the transmitter that form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**




Fig. 1




Fig. 2




Fig. 3






Fig. 4




Fig. 5




Fig. 6




Fig. 7

