



US00D676137S

(12) **United States Design Patent**
Lindberg et al.

(10) **Patent No.:** **US D676,137 S**

(45) **Date of Patent:** **** *Feb. 12, 2013**

(54) **SENSOR OF A HEART RATE BELT**

(56) **References Cited**

(75) Inventors: **Phillip Lindberg**, Helsinki (FI); **Kimmo Pernu**, Espoo (FI); **Timo Yliluoma**, Helsinki (FI); **Elizabeth Salonen**, Helsinki (FI); **Tapio Selby**, Tolkkinen (FI)

(73) Assignee: **Suunto Oy**, Vantaa (FI)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/428,321**

(22) Filed: **Jul. 30, 2012**

Related U.S. Application Data

(63) Continuation of application No. 29/313,019, filed on Dec. 3, 2008, now Pat. No. Des. 667,127.

(51) **LOC (9) Cl.** **24-01**

(52) **U.S. Cl.** **D24/187**

(58) **Field of Classification Search** D24/128,
D24/165, 167-168, 186-187, 200, 232, 134;
D10/30-32, 46; 600/372-384, 390-391,
600/500, 503, 509, 519; 607/62, 109, 121,
607/129, 139

See application file for complete search history.

U.S. PATENT DOCUMENTS

D272,943	S	*	3/1984	Stone et al.	D24/134
D385,037	S	*	10/1997	Jensen	D24/187
D458,376	S	*	6/2002	Rouns et al.	D24/168
D492,783	S	*	7/2004	Lax	D24/167
D492,999	S	*	7/2004	Lax	D24/167
6,928,317	B2	*	8/2005	Chen	600/509
D519,636	S	*	4/2006	Okuda et al.	D24/168
7,167,737	B2	*	1/2007	Fujii et al.	600/390
7,330,751	B2	*	2/2008	Ueda	600/509
D567,949	S	*	4/2008	Lash et al.	D24/168
D597,676	S	*	8/2009	Copeland et al.	D24/187
D603,521	S	*	11/2009	Lindberg et al.	D24/187
D645,968	S	*	9/2011	Kasabach et al.	D24/186
2002/0147410	A1	*	10/2002	Bartholome	600/519

* cited by examiner

Primary Examiner — T. Chase Nelson

Assistant Examiner — Mark Cavanna

(74) *Attorney, Agent, or Firm* — Terence P. O'Brien

(57) **CLAIM**

We claim the ornamental design for a sensor of a heart rate belt, as shown and described.

DESCRIPTION

FIG. 1 is a top, rear perspective view of a sensor of a heart rate belt.

FIG. 2 is a front perspective view of the sensor of FIG. 1; and, FIG. 3 is a rear perspective view of the sensor of FIG. 1.

The dash-dot lines in FIGS. 1 through 3 see at the ends of the sensor of a heart rate belt and in the unclaimed central oval portion of the sensor of a heart rate belt define the boundaries of the claimed design.

1 Claim, 2 Drawing Sheets





FIG. 1






FIG. 2




FIG. 3