



US00D676183S

(12) **United States Design Patent**  
**Lee**

(10) **Patent No.:** **US D676,183 S**

(45) **Date of Patent:** **\*\* Feb. 12, 2013**

(54) **GLASS BREAKING CAP FOR FLASHLIGHTS AND BATONS**

(76) Inventor: **Mei-Huey Lee, New Taipei (TW)**

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/371,624**

(22) Filed: **Jun. 1, 2011**

(30) **Foreign Application Priority Data**

Mar. 10, 2011 (TW) ..... 100301134

(51) **LOC (9) Cl.** ..... **26-99**

(52) **U.S. Cl.** ..... **D26/113**

(58) **Field of Classification Search** ..... D26/1,  
D26/2, 118, 113, 138, 119, 120, 121, 122,  
D26/76, 77, 75, 78, 85, 86, 89, 90, 62, 64,  
D26/65, 66, 63, 73, 72, 74, 68, 71, 28, 123,  
D26/124, 127, 128, 129, 134, 135, 132, 139,  
D26/154, 155, 152, 149, 148, 145, 143, 142,  
D26/140, 141, 153, 144, 91, 92, 29, 24, 25,  
D26/26, 8, 114, 37, 87; 362/202, 347, 349,  
362/362, 419, 96, 192, 145, 294, 326, 267,  
362/373, 249.01–249.12; D13/102, 179,  
D13/180; 463/47.2–47.9; D22/117; D8/105,  
D8/81

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

786,040 A \* 3/1905 Cilley et al. .... 362/102  
1,179,611 A \* 4/1916 McGuckin ..... 463/47.4  
1,211,465 A \* 1/1917 Gowdey ..... 362/208  
3,106,398 A \* 10/1963 Gowdey ..... 463/47.2  
4,052,063 A \* 10/1977 Wong ..... 463/47.6  
D290,334 S \* 6/1987 Reynolds, Jr. .... D8/105  
4,819,137 A \* 4/1989 Hamilton ..... 362/102  
4,882,956 A \* 11/1989 Lang ..... 81/20  
5,066,013 A \* 11/1991 Kubota ..... 119/801  
D323,566 S \* 1/1992 Woodgate ..... D26/63  
5,165,782 A \* 11/1992 Maglica et al. .... 362/208  
5,339,229 A \* 8/1994 Snyder ..... 362/208  
5,491,898 A \* 2/1996 Riley ..... 30/366

5,728,003 A \* 3/1998 Hustad ..... 463/47.2  
D397,006 S \* 8/1998 Coleman et al. .... D8/14  
5,941,629 A \* 8/1999 Tuscher ..... 362/253  
D413,781 S \* 9/1999 Wong ..... D8/81  
D418,102 S \* 12/1999 Schehr ..... D12/213  
D420,269 S \* 2/2000 Ben-Moshe ..... D8/81  
6,036,332 A \* 3/2000 Antal ..... 362/119  
6,139,165 A \* 10/2000 Crowe ..... 362/102  
6,199,997 B1 \* 3/2001 Outsen et al. .... 362/109  
6,386,726 B1 \* 5/2002 Macierowski et al. .... 362/102  
6,499,855 B1 \* 12/2002 Kukuk ..... 362/102  
6,526,875 B1 \* 3/2003 Dzbinski ..... 99/339  
D472,444 S \* 4/2003 Gesheit ..... D8/81  
D476,874 S \* 7/2003 Kim ..... D8/81  
6,666,566 B1 \* 12/2003 Uke ..... 362/202  
D490,762 S \* 6/2004 Layman ..... D12/213  
6,786,368 B2 \* 9/2004 Cellini et al. .... 222/609  
6,786,615 B2 \* 9/2004 Hendricks ..... 362/109  
D498,401 S \* 11/2004 Lin et al. .... D8/81  
D502,275 S \* 2/2005 Saunders ..... D26/37  
7,070,297 B1 \* 7/2006 Muhlneckel, Jr. .... 362/207  
D529,210 S \* 9/2006 Mundhra ..... D26/37

(Continued)

*Primary Examiner* — Kevin Rudzinski

(74) *Attorney, Agent, or Firm* — Bacon & Thomas, PLLC

(57) **CLAIM**


The ornamental design for a glass breaking cap for flashlights and batons, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a glass breaking cap for flashlights and batons showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a left side elevational view thereof;  
FIG. 5 is a right side elevational view thereof;  
FIG. 6 is a top plan view thereof;  
FIG. 7 is a bottom plan view thereof;  
FIG. 8 is a perspective view thereof having a screw thread;  
FIG. 9 is a perspective view thereof attached onto the top of a police flashlight; and,  
FIG. 10 is a perspective view thereof attached onto the top of a police baton.

The broken line illustration of a portion of the glass breaking cap in FIG. 7, the screw thread in FIG. 8, the flashlight in FIG. 9 and the baton in FIG. 10 form no part of the claimed design.

**1 Claim, 10 Drawing Sheets**



# US D676,183 S

Page 2

---

## U.S. PATENT DOCUMENTS

D577,562 S *	9/2008	Lin et al. ....	D8/105	7,887,211 B2 *	2/2011	Summers .....	362/102
7,559,439 B2 *	7/2009	Cellini et al. ....	222/78	D647,230 S *	10/2011	Bertken .....	D26/38
7,686,472 B1 *	3/2010	Huang .....	362/202	8,231,474 B2 *	7/2012	Stethem .....	463/47.3
7,744,471 B2 *	6/2010	Parsons .....	463/47.4	2005/0037847 A1 *	2/2005	Pickens .....	463/47.2
D624,232 S *	9/2010	Summers .....	D26/113	2006/0096590 A1 *	5/2006	Cole et al. ....	128/200.14
D625,950 S *	10/2010	Regnart .....	D7/391	2008/0316737 A1 *	12/2008	Summers .....	362/202

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10