



US00D676333S

(12) **United States Design Patent**  
**Fracasso**

(10) **Patent No.:** **US D676,333 S**

(45) **Date of Patent:** **\*\* Feb. 19, 2013**

(54) **CONTAINER WITH LID**

(75) **Inventor:** **Giuseppe Fracasso, Caldogno (IT)**

(73) **Assignee:** **Giflor S.R.L., Grumolo dello Abbadesse (IT)**

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/417,553**

(22) **Filed:** **Apr. 5, 2012**

(30) **Foreign Application Priority Data**

Oct. 6, 2011 (EM) ..... 001928193-0001  
Oct. 6, 2011 (EM) ..... 001928193-0002

(51) **LOC (9) Cl.** ..... **09-05**

(52) **U.S. Cl.** ..... **D9/697**

(58) **Field of Classification Search** ..... D9/702-714,  
D9/695-699, 435, 440, 521, 454, 544, 723-724,  
D9/499, 449, 727-728, 442, 447, 504; 222/92,  
222/96, 107, 527-529, 215, 491, 206, 212-213,  
222/251; 206/438, 822; 220/DIG. 7; 215/321,  
215/381, 382, 316; 141/114-115  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D265,060 S *	6/1982	Blank	.....	D9/446
D358,760 S *	5/1995	Sherman et al.	.....	D9/697
D373,722 S *	9/1996	Kastberg	.....	D9/698
D374,615 S *	10/1996	Kani	.....	D9/697
D438,799 S *	3/2001	Anderson	.....	D9/449
D551,088 S *	9/2007	Dittmer et al.	.....	D9/697
D559,703 S *	1/2008	Egawa	.....	D9/697

D568,171 S *	5/2008	Kawashima	.....	D9/699
D626,860 S *	11/2010	Oates et al.	.....	D9/699
D649,066 S *	11/2011	Arinsmier et al.	.....	D9/697

\* cited by examiner

*Primary Examiner* — Caron D Veynar

*Assistant Examiner* — Abraham Bahta

(74) *Attorney, Agent, or Firm* — Fattibene and Fattibene, LLC; Paul A. Fattibene

(57) **CLAIM**

The ornamental design for a container with lid, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a container with lid showing the new design with the lid open;

FIG. 2 is a rear perspective view thereof with the lid open;

FIG. 3 is a rear elevation a view thereof with the lid closed.

FIG. 4 is a front perspective view thereof with the lid closed;

FIG. 5 is a right side elevation view thereof with the lid open;

FIG. 6 is a left side elevation view thereof with the lid open;

and

FIG. 7 is a top plan view thereof with the lid open;

FIG. 8 is a front perspective view of another embodiment of a container with lid showing the new design with the lid open;

FIG. 9 is a rear perspective view thereof with the lid open;

FIG. 10 is a rear elevation a view thereof with the lid closed.

FIG. 11 is a front perspective view thereof with the lid closed;


FIG. 12 is a right side elevation view thereof with the lid open;


FIG. 13 is a left side elevation view thereof with the lid open;

and,


FIG. 14 is a top plan view thereof with the lid open.

**1 Claim, 14 Drawing Sheets**







*FIG. 1*




*FIG. 2*




*FIG. 3*




*FIG. 4*



*FIG. 5*




*FIG. 6*




*FIG. 7*







*FIG. 8*




*FIG. 9*




*FIG. 10*




*FIG. 11*



*FIG. 12*



*FIG. 13*



*FIG. 14*