



US00D676411S

(12) **United States Design Patent**  
**Taniguchi et al.**

(10) **Patent No.:** **US D676,411 S**

(45) **Date of Patent:** **\*\* Feb. 19, 2013**

(54) **TELEPHONE**

(75) Inventors: **Eiichi Taniguchi**, Kawasaki (JP);  
**Tadamine Toh**, Kawasaki (JP); **Wataru**  
**Kuwajima**, Kawasaki (JP); **Masaru**  
**Kunii**, Kawasaki (JP); **Jun Tamatsu**,  
Kawasaki (JP); **Naoki Ozawa**, Tokyo  
(JP)

(73) Assignee: **NEC Infrontia Corporation**,  
Kawasaki-shi (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/368,876**

(22) Filed: **Aug. 31, 2010**

(51) **LOC (9) Cl.** ..... **14-03**

(52) **U.S. Cl.** ..... **D14/151**

(58) **Field of Classification Search** ..... D14/130,  
D14/138 R, 140, 140.1, 142, 144-145, 147-151,  
D14/158-159, 168, 240, 242, 243, 496, 217,  
D14/329-330, 434, 466-467, 251-253, 140.8,  
D14/140.9, 140.11; 379/387.01, 388.02,  
379/420.02, 447, 453, 434, 454; 381/16;  
D21/517; 455/351; D13/108; 248/688;  
16/324

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D294,022	S	*	2/1988	Sekiguchi et al.	.....	D14/151
D303,798	S	*	10/1989	Yamakawa	.....	D14/151
D312,459	S	*	11/1990	Oshima et al.	.....	D14/151
D314,374	S	*	2/1991	Sasaki et al.	.....	D14/151
D328,295	S	*	7/1992	Gagnon et al.	.....	D14/142
D330,028	S	*	10/1992	Gagnon et al.	.....	D14/151
D344,517	S	*	2/1994	Toh et al.	.....	D14/151
D389,144	S	*	1/1998	Hua	.....	D14/151
D420,405	S	*	2/2000	Plain et al.	.....	D21/517
D490,393	S	*	5/2004	Taniguchi et al.	.....	D14/151
D529,894	S	*	10/2006	Yanagisawa et al.	.....	D14/151
D535,277	S	*	1/2007	Mamizuka et al.	.....	D14/151
7,216,401	B2	*	5/2007	Bae	.....	16/324
D571,796	S	*	6/2008	Mamizuka et al.	.....	D14/251

D596,613	S	*	7/2009	Akatsu et al.	.....	D14/151
D597,061	S	*	7/2009	Akatsu et al.	.....	D14/151
D601,118	S	*	9/2009	Akatsu et al.	.....	D14/151
D613,724	S	*	4/2010	Kao et al.	.....	D14/151
7,762,519	B2	*	7/2010	Kunii et al.	.....	248/688
2005/0069126	A1	*	3/2005	Xue	.....	379/454

**OTHER PUBLICATIONS**

NEC Telephones shown on p. 1 of Buyer's Guide for Small and Medium Businesses, <URL:http://www.necbusinessphonesystems.co.uk/assets/datasheet/NEC\_XN120/NEC\_XN120\_Buyers\_Guide.pdf>, retrieved from internet on Apr. 29, 2012.\*  
Photo 1 Univerge IP Phone DT700 Series telephones, <URL:http://www.nec.co.jp/techrep/en/journal/g08/n03/080309-76.html>, retrieved from internet on Apr. 29, 2012.\*  
LG-Ericsson IP Phone 8000 Series Telephone, <URL:http://www.atsnexus.com/lip-8000/>, retrieved from internet on Apr. 29, 2012.\*  
Grandstream GXP3140 Business Telephone System, <URL:http://www.atsnexus.com/business-telephone-system-dallas-grandstream-gxv3140/>, retrieved from internet on Apr. 29, 2012.\*

\* cited by examiner

*Primary Examiner* — Carla Jobe Wright

(74) *Attorney, Agent, or Firm* — Holtz, Holtz, Goodman & Chick, PC

(57) **CLAIM**

The ornamental design for a telephone, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, right side, bottom perspective view of a telephone showing our new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a left side view thereof;  
FIG. 5 is a right side view thereof;  
FIG. 6 is a top plan view thereof;  
FIG. 7 is a bottom plan view thereof;  
FIG. 8 is a front elevational view thereof showing a state in which a receiver is taken from its rest of the telephone;  
FIG. 9 is a front, right side, bottom perspective view of a second embodiment of the telephone shown in FIG. 1;





FIG. 10 is a front elevational view thereof;  
FIG. 11 is a rear elevational view thereof;  
FIG. 12 is a left side view thereof;  
FIG. 13 is a right side view thereof;  
FIG. 14 is a top plan view thereof;  
FIG. 15 is a bottom plan view thereof;  
FIG. 16 is a front elevational view thereof showing a state in which a receiver is taken from its rest of the telephone;  
FIG. 17 is a front, right side, bottom perspective view of a third embodiment of the telephone shown in FIG. 1;  
FIG. 18 is a front elevational view thereof;  
FIG. 19 is a rear elevational view thereof;  
FIG. 20 is a left side view thereof;  
FIG. 21 is a right side view thereof;  
FIG. 22 is a top plan view thereof;  
FIG. 23 is a bottom plan view thereof;  
FIG. 24 is a front elevational view thereof showing a state in which a receiver is taken from its rest of the telephone;  
FIG. 25 is a front, right side, bottom perspective view of a fourth embodiment of the telephone shown in FIG. 1;

FIG. 26 is a front elevational view thereof;  
FIG. 27 is a rear elevational view thereof;  
FIG. 28 is a left side view thereof;  
FIG. 29 is a right side view thereof;  
FIG. 30 is a top plan view thereof;  
FIG. 31 is a bottom plan view thereof; and,  
FIG. 32 is a front elevational view thereof showing a state in which a receiver is taken from its rest of the telephone.  
In FIGS. 1, 7-9, 15-17, 23-25, and 31-32, the broken lines immediately adjacent the shaded surfaces represent boundaries of the claimed design; whereas all other broken lines in these figures depict unclaimed environment. In FIGS. 3, 11, 19, and 27, the broken lines depict unclaimed environment, and the unshaded central surface on the rear of the telephone in these figures forms no part of the claimed design. Throughout the drawing figures, the broken lines and unshaded surfaces bounded by broken lines form no part of the claimed design.

**1 Claim, 32 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14






FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22






FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29




FIG. 30






FIG. 31




FIG. 32

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : D676,411 S  
APPLICATION NO. : 29/368876  
DATED : February 19, 2013  
INVENTOR(S) : Eiichi Taniguchi et al.

Page 1 of 34


It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Delete the title page and substitute the attached title page therefor.

In the Drawings:

Delete the drawing sheets 1-32 and substitute the attached drawing sheets therefor. (1-32)

Signed and Sealed this  
Seventh Day of January, 2014



Margaret A. Focarino  
*Commissioner for Patents of the United States Patent and Trademark Office*

(12) **United States Design Patent**  
**Taniguchi et al.**

(10) **Patent No.:** **US D676,411 S**  
(45) **Date of Patent:** **\*\* Feb. 19, 2013**

(54) **TELEPHONE**

(75) **Inventors:** **Eiichi Taniguchi, Kawasaki (JP);**  
**Tadamine Toh, Kawasaki (JP); Wataru**  
**Kuwajima, Kawasaki (JP); Masaru**  
**Kunii, Kawasaki (JP); Jun Tamatsu,**  
**Kawasaki (JP); Naoki Ozawa, Tokyo**  
**(JP)**

(73) **Assignee:** **NEC Infrontia Corporation,**  
**Kawasaki-shi (JP)**

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/368,876**

(22) **Filed:** **Aug. 31, 2010**

(51) **LOC (9) Cl.** ..... **14-03**

(52) **U.S. Cl.** ..... **D14/151**

(58) **Field of Classification Search** ..... **D14/130,**  
**D14/138 R, 140, 140.1, 142, 144-145, 147-151,**  
**D14/158-159, 168, 240, 242, 243, 496, 217,**  
**D14/329-330, 434, 466-467, 251-253, 140.8,**  
**D14/140.9, 140.11; 379/387.01, 388.02,**  
**379/420.02, 447, 453, 434, 454; 381/16;**  
**D21/517; 455/351; D13/108; 248/688;**  
**16/324**

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D294,022	S	*	2/1988	Sekiguchi et al.	.....	D14/151
D303,798	S	*	10/1989	Yamakawa	.....	D14/151
D312,459	S	*	11/1990	Oshima et al.	.....	D14/151
D314,374	S	*	2/1991	Sasaki et al.	.....	D14/151
D328,295	S	*	7/1992	Gagnon et al.	.....	D14/142
D330,028	S	*	10/1992	Gagnon et al.	.....	D14/151
D344,517	S	*	2/1994	Toh et al.	.....	D14/151
D389,144	S	*	1/1998	Hua	.....	D14/151
D420,405	S	*	2/2000	Plain et al.	.....	D21/517
D490,393	S	*	5/2004	Taniguchi et al.	.....	D14/151
D529,894	S	*	10/2006	Yanagisawa et al.	.....	D14/151
D535,277	S	*	1/2007	Mamizuka et al.	.....	D14/151
7,216,401	B2	*	5/2007	Bae	.....	16/324
D571,796	S	*	6/2008	Mamizuka et al.	.....	D14/251

D596,613	S	*	7/2009	Akatsu et al.	.....	D14/151
D597,061	S	*	7/2009	Akatsu et al.	.....	D14/151
D601,118	S	*	9/2009	Akatsu et al.	.....	D14/151
D613,724	S	*	4/2010	Kao et al.	.....	D14/151
7,762,519	B2	*	7/2010	Kunii et al.	.....	248/688
2005/0069126	A1	*	3/2005	Xue	.....	379/454

**OTHER PUBLICATIONS**

NEC Telephones shown on p. 1 of Buyer's Guide for Small and Medium Businesses, <URL:http://www.necbusinessphonesystems.co.uk/assets/datasheet/NEC\_XN120/NEC\_XN120\_Buyers\_Guide.pdf>, retrieved from internet on Apr. 29, 2012.\*  
Photo 1 Univerge IP Phone DT700 Series telephones, <URL:http://www.nec.co.jp/techrep/en/journal/g08/n03/080309-76.html>, retrieved from internet on Apr. 29, 2012.\*  
LG-Ericsson IP Phone 8000 Series Telephone, <URL:http://www.atnexus.com/lip-8000/>, retrieved from internet on Apr. 29, 2012.\*  
Grandstream GXP3140 Business Telephone System, <URL:http://www.atnexus.com/business-telephone-system-dallas-grandstream-gxv3140/>, retrieved from internet on Apr. 29, 2012.\*

\* cited by examiner

*Primary Examiner* — Carla Jobe Wright



(74) *Attorney, Agent, or Firm* — Holtz, Holtz, Goodman & Chick, PC

(57) **CLAIM**

The ornamental design for a telephone, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, right side, bottom perspective view of a telephone showing our new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a left side view thereof;  
FIG. 5 is a right side view thereof;  
FIG. 6 is a top plan view thereof;  
FIG. 7 is a bottom plan view thereof;  
FIG. 8 is a front elevational view thereof showing a state in which a receiver is taken from its rest of the telephone;  
FIG. 9 is a front, right side, bottom perspective view of a second embodiment of the telephone shown in FIG. 1;






FIG. 1




FIG. 2




FIG. 3




FIG. 4






FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12






FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20






FIG. 21




FIG. 22




FIG. 23

---




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28






FIG. 29




FIG. 30




FIG. 31




FIG. 32