



US00D676474S

(12) **United States Design Patent**
Eddisford

(10) **Patent No.:** **US D676,474 S**

(45) **Date of Patent:** **** Feb. 19, 2013**

(54) **STRUCTURAL STAY**

(76) Inventor: **Lucien Eddisford**, Arcata, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/417,935**

(22) Filed: **Apr. 10, 2012**

(51) **LOC (9) Cl.** **15-09**

(52) **U.S. Cl.** **D15/138**

(58) **Field of Classification Search** D8/20,
D8/70, 71, 95, 354, 381; D12/111, 117;
D15/138, 199; 2/255, 256, 257, 258, 260;
59/874; 119/753; 180/89.14, 89.16; 188/277;
248/476, 477, 480; 267/64.11, 120;
280/281.1-288.3, 288; 292/263; 359/841,
359/872, 876, 877; 403/109.5; 450/143,
450/155, 156; 602/19

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|-----------|------|---------|-----------------|-------|-----------|
| 25,763 | A * | 10/1859 | Wallace | | 135/32 |
| 44,561 | A * | 10/1864 | Gouck | | 261/114.1 |
| 3,135,491 | A * | 6/1964 | Knape et al. | | 248/243 |
| 4,307,671 | A * | 12/1981 | Albano | | 108/6 |
| 4,502,484 | A * | 3/1985 | Giampapa et al. | | 606/176 |
| D295,950 | S * | 5/1988 | Johnston | | D8/381 |
| D347,150 | S * | 5/1994 | Falconbridge | | D8/8 |
| D350,547 | S * | 9/1994 | Felstehausen | | D15/28 |
| D376,098 | S * | 12/1996 | Bucher | | D8/400 |
| D411,738 | S * | 6/1999 | Raasch et al. | | D8/381 |
| 6,402,108 | B1 * | 6/2002 | Remmers | | 248/243 |
| D547,640 | S * | 7/2007 | Remmers | | D8/381 |

| | | | | | |
|-----------|------|--------|-----------------|-------|---------|
| 7,497,533 | B2 * | 3/2009 | Remmers | | 312/404 |
| D618,087 | S * | 6/2010 | Stafford et al. | | D8/363 |
| D622,341 | S * | 8/2010 | Pepin | | D21/756 |
| D639,830 | S * | 6/2011 | Inkster | | D15/139 |

* cited by examiner

Primary Examiner — Patricia Palasik

(74) *Attorney, Agent, or Firm* — Rankin, Sproat, Mires, Beaty & Reynolds

(57) **CLAIM**

The ornamental design for a structural stay, as shown and described.

DESCRIPTION

FIG. 1 is a three-quarter perspective view of an ornamental design for a structural stay.

FIG. 2 is a side view of an ornamental design for a structural stay.

FIG. 3 is a top view of an ornamental design for a structural stay.

FIG. 4 is an underside view of an ornamental design for a structural stay.

FIG. 5 is a rear end-on view of an ornamental design for a structural stay; and,

FIG. 6 is a front end-on view of an ornamental design for a structural stay.

The broken lines in the drawings depict unclaimed environmental subject matter.

1 Claim, 3 Drawing Sheets





FIG. 1






FIG. 3



FIG. 4



FIG. 5




FIG. 6

