



US00D676637S

(12) **United States Design Patent**
Hané

(10) **Patent No.:** **US D676,637 S**

(45) **Date of Patent:** **** Feb. 26, 2013**

(54) **INSOLE FOR SHOE**

(76) Inventor: **Jorge Hané**, Miami, FL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/415,852**

(22) Filed: **Mar. 14, 2012**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/368,658, filed on Aug. 26, 2010, now abandoned.

(51) **LOC (9) Cl.** **02-04**

(52) **U.S. Cl.** **D2/961; D2/954; D2/957; D2/960**

(58) **Field of Classification Search** D2/914,
D2/946-962; 36/43, 44, 71, 88, 91-94, 100,
36/101, 126, 136, 145, 154, 173
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | | |
|-----------|---|---|---------|-----------------|-------|--------|
| D259,675 | S | * | 6/1981 | Gordon et al. | | D2/961 |
| 4,435,910 | A | * | 3/1984 | Marc | | 36/44 |
| D316,929 | S | * | 5/1991 | Ullman | | D2/961 |
| D497,472 | S | * | 10/2004 | Vasyli | | D2/961 |
| D497,708 | S | * | 11/2004 | Granger et al. | | D2/961 |
| D498,043 | S | * | 11/2004 | Walker | | D2/961 |
| D498,577 | S | * | 11/2004 | Crewdson et al. | | D2/961 |
| D551,437 | S | * | 9/2007 | Hung | | D2/961 |
| D578,285 | S | * | 10/2008 | Vasyli et al. | | D2/961 |
| D582,641 | S | * | 12/2008 | Kielt et al. | | D2/961 |
| D602,238 | S | * | 10/2009 | Avent et al. | | D2/961 |
| D614,842 | S | * | 5/2010 | Vasyli | | D2/961 |
| D634,924 | S | * | 3/2011 | Cheskin et al. | | D2/961 |

| | | | | | | |
|--------------|----|---|--------|----------------|-------|--------|
| D666,400 | S | * | 9/2012 | Garma et al. | | D2/961 |
| 2009/0151194 | A1 | * | 6/2009 | Cheskin et al. | | 36/28 |
| 2011/0192050 | A1 | * | 8/2011 | Hane | | 36/44 |

* cited by examiner

Primary Examiner — Keli L Hill

(74) *Attorney, Agent, or Firm* — Assouline & Berlowe, P.A.;
Loren Donald Pearson



(57) **CLAIM**

The ornamental design for an insole for a shoe, as shown and described.

DESCRIPTION

FIG. 1 is a bottom perspective view of a right insole.
 FIG. 2 is a bottom perspective view of a left insole.
 FIG. 3 is a top perspective view of the right insole.
 FIG. 4 is a top perspective view of the left insole.
 FIG. 5 is a top side view of the right insole.
 FIG. 6 is a top side view of the left insole.
 FIG. 7 is a bottom side view of the right insole.
 FIG. 8 is a bottom side view of the left insole.
 FIG. 9 is a left side view of the right insole.
 FIG. 10 is a right side view of the left insole.
 FIG. 11 is a right side view of the right insole.
 FIG. 12 is a left side view of the left insole.
 FIG. 13 is a front side view of the right insole.
 FIG. 14 is a front side view of the left insole.
 FIG. 15 is a rear side view of the right insole; and,
 FIG. 16 is a rear side view of the left insole.
 The figures show two embodiments of the insole: a left insole and a right insole. The embodiment of the insole for the left foot is a right-left mirror image of the embodiment of the insole for the right foot.

1 Claim, 7 Drawing Sheets






FIG. 1

FIG. 2



FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8



FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 14




FIG. 16




FIG. 13




FIG. 15