



US00D676746S

(12) **United States Design Patent**
Shaffer et al.

(10) **Patent No.:** **US D676,746 S**
(45) **Date of Patent:** **** Feb. 26, 2013**

(54) **STRETCHABLE CAN CLOSURE DEVICE**
(76) Inventors: **Debra Shaffer**, Springfield, OH (US);
Carl J. Shaffer, Springfield, OH (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/394,923**
(22) Filed: **Jun. 23, 2011**
(51) **LOC (9) Cl.** **09-07**
(52) **U.S. Cl.** **D9/443; D9/454**
(58) **Field of Classification Search** D9/772,
D9/763, 746, 529, 504, 454, 443, 435, 434,
D9/428, 424; D7/392.1; D34/11; D27/183-193;
220/711-717, 685, 658, 4.24, 4.23, 377,
220/309.1, 296, 284, 260, 258.5, 203.09;
215/347, 321, 307; 138/96 R
See application file for complete search history.

D527,254 S * 8/2006 Antonelli D9/436
D528,359 S * 9/2006 Laib D7/392.1
D543,111 S * 5/2007 Hoglund D9/504
D587,136 S * 2/2009 Friebe et al. D9/772
D591,507 S * 5/2009 Mowe et al. D3/269
D610,006 S * 2/2010 Ortell D9/454
D614,439 S * 4/2010 Olivari D7/392.1
D621,705 S * 8/2010 Breckan D9/443
D621,951 S * 8/2010 Bucholtz et al. D24/224
2004/0000551 A1 1/2004 Flink et al.
2006/0016820 A1 1/2006 Himes et al.

* cited by examiner

Primary Examiner — Susan Bennett Hattan
(74) *Attorney, Agent, or Firm* — Robert C. Montgomery;
Montgomery Patent & Design LLC


(57) **CLAIM**
The ornamental design for a stretchable can closure device, as shown and described.

DESCRIPTION

FIG. 1 is a side view of a stretchable can closure device depicted as attached to a can, showing our new design; FIG. 2 is a top perspective view of the stretchable can closure device; FIG. 3 is a bottom perspective view thereof; FIG. 4 is a front view thereof; FIG. 5 is a rear view thereof; FIG. 6 is a left side view thereof with a right side view being a mirror image; FIG. 7 is a top view thereof; and, FIG. 8 is a bottom view thereof. The broken line showing of a can in FIG. 1 is for the purpose of illustrating environmental structure and forms no part of the claimed design.

1 Claim, 6 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS
2,789,607 A * 4/1957 Tupper 220/780
D182,779 S * 5/1958 Tupper D9/503
D296,525 S * 7/1988 Siegel D9/443
4,795,052 A 1/1989 Hayes, Jr.
4,961,510 A 10/1990 Dvoracek
D315,872 S 4/1991 Bixler
5,102,002 A 4/1992 Whitley
5,363,983 A 11/1994 Proshan
5,366,109 A 11/1994 Proshan
D359,905 S * 7/1995 Molo D9/447
D371,485 S * 7/1996 Hickey D7/392.1
D398,485 S * 9/1998 Landauer et al. D7/629
6,073,797 A 6/2000 Barous
6,296,137 B1 10/2001 Bjørnsen
D475,573 S * 6/2003 Jalet et al. D7/392.1
D478,469 S * 8/2003 Roth et al. D7/392.1






Fig. 1




Fig. 2




Fig. 3



Fig. 4



Fig. 5



Fig. 6




Fig. 7




Fig. 8