US00D676762S

(12) United States Design Patent
LaFauci

(10) Patent No.: US D676,762 S
(45) Date of Patent: ** Feb. 26, 2013

(54) **STORAGE BAG**

(75) Inventor: **Mariagrazia LaFauci**, Philadelphia, PA (US)

(73) Assignee: **BeSatori LLC**, Philadelphia, PA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/429,136**

(22) Filed: **Aug. 7, 2012**

(51) **LOC (9) Cl.** **09-05**
(52) **U.S. Cl.** **D9/703**
(58) **Field of Classification Search** D9/702–714, D9/499, 430–433; 222/92, 107, 206, 215; 229/87.041–87.09, 87.11–87.19; 206/260, 206/811, 484; D3/303, 20.1, 203.2; D24/118, D24/121; 383/61.1, 119, 108, 103, 127; 220/666; 211/85.15; 428/35.2
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,285,105	A	8/1981	Kirkpatrick	
4,410,130	A	10/1983	Herrington	
4,415,087	A	11/1983	Clayton et al.	
4,519,095	A	5/1985	Clayton	
4,708,243	A	11/1987	Nailon	
D297,306	S	8/1988	King	
5,102,234	A	4/1992	Levy	
D339,740	S	9/1993	Lee	
5,248,201	A	9/1993	Kettner et al.	
5,356,222	A	10/1994	Kettner et al.	
5,832,145	A	11/1998	Dais et al.	
5,975,394	A	11/1999	Shuval	
6,953,542	B2	10/2005	Cisek	
6,962,439	B2	11/2005	Taheri	
7,213,305	B2	5/2007	Stolmeier et al.	
D545,217	S	6/2007	Jeric et al.	
D555,009	S	11/2007	Lin	
7,452,131	B2	11/2008	Kettner et al.	
D595,593	S	7/2009	Schreiter et al.	
D597,857	S	8/2009	Lin	
D602,377	S	10/2009	Lin	
D612,743	S	3/2010	Bradley	
D613,615	S	4/2010	Hedstrom	
D617,654	S	6/2010	Tawinsook	
D623,075	S	9/2010	Blythe	
D623,536	S	9/2010	Bohmke	
D634,645	S	3/2011	LaFauci et al.	
D642,069	S	7/2011	LaFauci et al.	
D642,070	S	7/2011	LaFauci et al.	
D644,535	S *	9/2011	Gallagher	D9/709
D655,202	S *	3/2012	Abell et al.	D9/707
D660,179	S *	5/2012	Bray	D9/707
2004/0047524	A1	3/2004	Stolmeier et al.	
2005/0276524	A1	12/2005	Taheri	
2007/0098308	A1	5/2007	Taheri	
2008/0105679	A1	5/2008	Ballard	
2009/0136161	A1	5/2009	Hickey	
2010/0142861	A1	6/2010	Sam	
2010/0147425	A1	6/2010	Swain et al.	

FOREIGN PATENT DOCUMENTS

JP	11-268751	A	10/1999
JP	2007-130043	A	5/2007

* cited by examiner

Primary Examiner — Caron D Veynar
Assistant Examiner — Abraham Bahta
(74) *Attorney, Agent, or Firm* — Rahman LLC

(57) **CLAIM**

The ornamental design for a storage bag, as shown and described.

DESCRIPTION

FIG. **1** is a front perspective view of a first embodiment of the storage bag showing my new design;
FIG. **2** is a rear perspective view thereof;
FIG. **3** is a front view of the storage bag in a closed configuration;
FIG. **4** is a front view of the storage bag in an open configuration;
FIG. **5** is a rear view of the storage bag in a closed configuration;
FIG. **6** is a rear view of the storage bag in an open configuration;
FIG. **7** is a top view of the storage bag in a closed configuration;
FIG. **8** is a left side view of the storage bag in a closed configuration;



FIG. **9** is a right side view of the storage bag in a closed configuration;
FIG. **10** is a bottom view of the storage bag in a closed configuration;
FIG. **11** is a front perspective view of a second embodiment of the storage bag showing my new design;
FIG. **12** is a rear perspective view thereof;
FIG. **13** is a front view of the storage bag in a closed configuration;
FIG. **14** is a front view of the storage bag in an open configuration;
FIG. **15** is a rear view of the storage bag in a closed configuration;
FIG. **16** is a rear view of the storage bag in an open configuration;
FIG. **17** is a top view of the storage bag in a closed configuration;
FIG. **18** is a left side view of the storage bag in a closed configuration;
FIG. **19** is a right side view of the storage bag in a closed configuration;
FIG. **20** is a bottom view of the storage bag in a closed configuration;
FIG. **21** is a front perspective view of a third embodiment of the storage bag showing my new design;
FIG. **22** is a rear perspective view thereof;
FIG. **23** is a front view of the storage bag in a closed configuration;
FIG. **24** is a front view of the storage bag in an open configuration;
FIG. **25** is a rear view of the storage bag in a closed configuration;
FIG. **26** is a rear view of the storage bag in an open configuration;
FIG. **27** is a top view of the storage bag in a closed configuration;
FIG. **28** is a left side view of the storage bag in a closed configuration;
FIG. **29** is a right side view of the storage bag in a closed configuration;
FIG. **30** is a bottom view of the storage bag in a closed configuration; and,
FIG. **31** is both a top view and a bottom view of the storage bag of the first, second, and third embodiments in an open configuration.
The broken lines indicate perforations through the storage bag and form part of the claimed design.

1 Claim, 22 Drawing Sheets



Fig. 1



Fig. 2



Fig. 3



Fig. 4



Fig. 5



Fig. 6

Fig. 7

Fig. 8

Fig. 9

Fig. 10



Fig. 11



Fig. 12



Fig. 13



Fig. 14



Fig. 15



Fig. 16

Fig. 17

Fig. 18

Fig. 19

Fig. 20



Fig. 21



Fig. 22



Fig. 23



Fig. 24



Fig. 25



Fig. 26

Fig. 27

Fig. 28

Fig. 29

Fig. 30

Fig. 31