



US00D676773S

(12) **United States Design Patent**  
**Kim**

(10) **Patent No.:** **US D676,773 S**

(45) **Date of Patent:** **\*\* Feb. 26, 2013**

(54) **SECURITY TAG**

(76) Inventor: **Young Nam Kim**, Gyeonggi-do (KR)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/427,988**

(22) Filed: **Jul. 24, 2012**

(51) **LOC (9) Cl.** ..... **10-05**

(52) **U.S. Cl.** ..... **D10/106.91**

(58) **Field of Classification Search** ... D10/106.9–16.94,  
D10/113.1, 106.8; 340/572.1, 572.3, 572.7–572.9;  
70/57, 57.1, 58–59; 343/705; D8/330–348;  
D13/107, 103

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D593,451 S *	6/2009	Sayegh	.....	D10/106.91
D626,441 S *	11/2010	Sayegh et al.	.....	D10/106.91
2010/0085192 A1 *	4/2010	Nagelski et al.	.....	340/572.9
2012/0073336 A1 *	3/2012	Thoonsen	.....	70/19

\* cited by examiner

*Primary Examiner* — George D Kirschbaum

(74) *Attorney, Agent, or Firm* — Mitchell Law PLLC;  
Matthew W. Mitchell

(57) **CLAIM**

The ornamental design for a security tag, as shown.

**DESCRIPTION**

FIG. 1 is a top perspective view of the security tag of the present invention;

FIG. 2 is a top view of the security tag of FIG. 1;



FIG. 3 is a bottom view of the security tag of FIG. 1 as seen from a bottom side of FIG. 2;

FIG. 4 is a side view of the security tag of FIG. 1, as seen from the top and bottom sides of FIG. 2; and,

FIG. 5 is a side view of the security tag of FIG. 1, as seen from the left and right sides of FIG. 2.

The broken line showing of a pin element on the bottom of the design is included for the purpose of illustrating portions of the “article” and forms no part of the claimed design.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5