



US00D676853S

(12) **United States Design Patent**  
**Gengler**

(10) **Patent No.:** **US D676,853 S**  
(45) **Date of Patent:** **\*\* Feb. 26, 2013**

(54) **SUPPORT FOR PORTABLE ELECTRONIC DEVICE**

(75) Inventor: **David P. Gengler**, Draper, UT (US)  
(73) Assignee: **Zagg Intellectual Property Holding Co., Inc.**, Salt Lake City, UT (US)  
(\*\*) Term: **14 Years**  
(21) Appl. No.: **29/406,095**

(22) Filed: **Nov. 9, 2011**

(51) **LOC (9) Cl.** ..... **14-04**  
(52) **U.S. Cl.** ..... **D14/447**  
(58) **Field of Classification Search** ..... D14/447,  
D14/432, 433, 434, 439, 448, 451, 452, 217,  
D14/239, 250, 251, 253, 238.1; D13/107,  
D13/108; D21/333; D6/300, 310, 311, 312,  
D6/406.1, 406.2, 406.3, 406.4, 406.5, 406.6,  
D6/419; D8/363, 373, 380

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,902,785	A *	9/1959	Nichols	40/120
4,722,504	A *	2/1988	Degenholtz	248/459
D344,197	S *	2/1994	Numbers	D6/419
D626,964	S *	11/2010	Richardson et al.	D14/447
7,861,995	B2 *	1/2011	Liou	248/454
D639,286	S *	6/2011	Mohoney	D14/250
D639,814	S *	6/2011	Farris-Gilbert et al.	D14/447
D639,816	S *	6/2011	Bau	D14/447
D641,177	S *	7/2011	Chamberlain	D6/310
D651,213	S *	12/2011	Magness et al.	D14/447
D656,500	S *	3/2012	Maruyama et al.	D14/447
D661,310	S *	6/2012	Belongia et al.	D14/447
2009/0159763	A1 *	6/2009	Kim	248/174

\* cited by examiner

*Primary Examiner* — Angela J Lee

(74) *Attorney, Agent, or Firm* — Durham Jones & Pinegar, P.C. Intellectual Property Law Group

(57) **CLAIM**

The ornamental design for a support for a portable electronic device, as shown and described.

**DESCRIPTION**

FIG. 1 is top and front perspective view of an embodiment of a design for a support for a portable electronic device, the support being in a first folded configuration for supporting a portable electronic device;

FIG. 2 is a top plan view of the embodiment of a support for a portable electronic device shown in FIG. 1;

FIG. 3 is a bottom plan view of the embodiment of a support for a portable electronic device shown in FIGS. 1 and 2;

FIG. 4 is a front elevation view of the embodiment of a support for a portable electronic device shown in FIGS. 1-3;

FIG. 5 is a rear elevation view of the embodiment of a support for a portable electronic device shown in FIGS. 1-4;

FIG. 6 is a right elevation view of the embodiment of a support for a portable electronic device shown in FIGS. 1-5;

FIG. 7 is a left elevation view of the embodiment of a support for a portable electronic device shown in FIGS. 1-6;

FIG. 8 is a top and front perspective view of the embodiment of a design for a support for a portable electronic device as shown in FIGS. 1-7, the support being in a second folded configuration for enclosing an accessory for a portable electronic device;

FIG. 9 is a top plan view of the embodiment of a support for a portable electronic device shown in FIG. 8;

FIG. 10 is a bottom plan view of the embodiment of a support for a portable electronic device shown in FIGS. 8 and 9;

FIG. 11 is a front elevation view of the embodiment of a support for a portable electronic device shown in FIGS. 8-10;

FIG. 12 is a rear elevation view of the embodiment of a support for a portable electronic device shown in FIGS. 8-11;

FIG. 13 is a left elevation view of the embodiment of a support for a portable electronic device shown in FIGS. 8-12;

FIG. 14 is a right elevation view of the embodiment of a support for a portable electronic device shown in FIGS. 8-13;

FIG. 15 is a top plan view of the embodiment of a design for a support for a portable electronic device as shown in FIGS. 1-14, the support being in an unfolded configuration;

FIG. 16 is a bottom plan view of the embodiment of a support for a portable electronic device shown in FIG. 15;



FIG. 17 is a left elevation view of the embodiment of a support for a portable electronic device shown in FIGS. 15 and 16;

and,

FIG. 18 is a right elevation view of the embodiment of a support for a portable electronic device shown in FIGS. 15-17.

The features illustrated in broken lines form no part of the claimed design.

**1 Claim, 10 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14






Fig. 15




Fig. 16



Fig. 17




Fig. 18