



US00D677010S

(12) **United States Design Patent**
Wolfe

(10) **Patent No.:** **US D677,010 S**

(45) **Date of Patent:** **** Feb. 26, 2013**

(54) **SOFT RESTRAINING APPARATUS**

(76) Inventor: **Dawn Wolfe**, Sandy, UT (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/417,353**

(22) Filed: **Apr. 2, 2012**

(51) **LOC (9) Cl.** **29-02**

(52) **U.S. Cl.** **D29/120.2**

(58) **Field of Classification Search** D29/120.1,
D29/120.2, 113; 2/16, 17, 170; 24/16 PB;
70/14-19; 119/770; 128/869, 878
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,297,026	A *	1/1967	Van Pelt	128/878
3,636,068	A *	1/1972	Stubbs	558/466
3,939,829	A *	2/1976	Spann	128/878
4,204,534	A *	5/1980	Leary	128/878
4,414,969	A *	11/1983	Heyman	128/878
4,422,455	A *	12/1983	Olsen	128/878
4,628,925	A *	12/1986	Witzel	128/878
4,729,138	A *	3/1988	Heyman et al.	5/658

5,360,019	A *	11/1994	Witzel et al.	128/878
5,546,962	A *	8/1996	Power	128/869
D381,428	S *	7/1997	Torok et al.	D24/190

* cited by examiner

Primary Examiner — Raphael Barkai

Assistant Examiner — Randall Gholson

(74) *Attorney, Agent, or Firm* — Sinorica, LLC


(57) **CLAIM**

The ornamental design for a soft restraining apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a soft restraining apparatus; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a left-side elevational view thereof; FIG. 5 is a right-side elevational view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a bottom plan view thereof; and, FIG. 8 is a perspective view thereof attached to a user. The broken line showing in FIG. 8 is included for the purpose of showing environmental structure and forms no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8