

US00D677136S

(12) **United States Design Patent**
Davis

(10) **Patent No.:** **US D677,136 S**
(45) **Date of Patent:** **** Mar. 5, 2013**

(54) **CORDLESS TOOL FOOT**

(75) Inventor: **Roger Brandon Davis**, Clinton, NJ (US)

(73) Assignee: **Ingersoll-Rand Company**, Davidson, NC (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/398,989**

(22) Filed: **Aug. 8, 2011**

(51) **LOC (9) Cl.** **08-04**

(52) **U.S. Cl.** **D8/68**

(58) **Field of Classification Search** D8/68,
D8/70, 107, 303; D13/103; 173/170, 217;
439/160; 429/97, 99; 320/106, 107, 114
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D382,458	S	*	8/1997	Hogue et al.		D8/70
D393,194	S	*	4/1998	Hogue et al.		D8/70
D420,879	S	*	2/2000	Watson et al.		D8/70
6,656,626	B1	*	12/2003	Mooty et al.		429/99
D519,808	S	*	5/2006	Otsuka et al.		D8/68
D523,720	S	*	6/2006	Cooper		D8/68
D527,237	S	*	8/2006	Otsuka et al.		D8/68
D528,888	S	*	9/2006	Nagasaka et al.		D8/68
D535,536	S	*	1/2007	Ghode et al.		D8/68
7,157,180	B2	*	1/2007	Lui et al.		429/100
D538,618	S	*	3/2007	Serdynski et al.		D8/68
D542,618	S	*	5/2007	Miura et al.		D8/107
D556,002	S	*	11/2007	Ino		D8/68
D571,177	S	*	6/2008	Price et al.		D8/70
7,619,387	B2	*	11/2009	Amend et al.		320/107
D615,837	S	*	5/2010	Lopano et al.		D8/68
D644,494	S	*	9/2011	Lopano		D8/68
D656,804	S	*	4/2012	Murray		D8/68
8,228,029	B2	*	7/2012	Meyer et al.		320/114
8,267,192	B2	*	9/2012	Lopano et al.		173/170
2004/0106036	A1	*	6/2004	Geis et al.		429/99
2006/0222931	A1	*	10/2006	Lin		429/100
2008/0207026	A1	*	8/2008	Meyer et al.		439/160
2010/0000067	A1	*	1/2010	Turner et al.		29/428
2012/0048587	A1	*	3/2012	Umemura et al.		173/217
2012/0235628	A1	*	9/2012	Okabayashi et al.		320/106

* cited by examiner

Primary Examiner — Philip S Hyder

Assistant Examiner — John T Applewhite

(74) *Attorney, Agent, or Firm* — Myers Bigel Sibley & Sajovec, P.A.

(57) **CLAIM**

The ornamental design for a cordless tool foot, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a cordless tool foot engaged with a battery pack, showing my new design;

FIG. 2 is a rear perspective view thereof;

FIG. 3 is a side view thereof;

FIG. 4 is a side view thereof, opposite that shown in FIG. 3;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof (which is disclaimed in its entirety), opposite that shown in FIG. 5;

FIG. 7 is an end view thereof;

FIG. 8 is an end view thereof, opposite that shown in FIG. 7;

FIG. 9 is a bottom perspective view of the cordless tool foot shown in FIG. 1, but illustrated with the battery pack removed;

FIG. 10 is an end view of the cordless tool foot of FIG. 9;

FIG. 11 is an end view thereof, opposite that shown in FIG. 10;

FIG. 12 is a bottom plan view of the cordless tool foot of FIG. 9;


FIG. 13 is a front perspective view of the cordless tool foot of FIG. 9 and a battery pack for releasable engagement with the cordless tool foot;

FIG. 14 is a front perspective view of the cordless tool foot and battery pack of FIG. 13 with the cordless tool foot slidably engaging the battery pack; and,

FIG. 15 is a front perspective view of the cordless tool foot and battery pack of FIG. 13 with the cordless tool foot and battery pack in a fully seated configuration.

The broken lines shown herein are for illustrative purposes only and form no part of the claimed design.

1 Claim, 13 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15