



US00D677159S

(12) **United States Design Patent**
Sina

(10) **Patent No.:** **US D677,159 S**
(45) **Date of Patent:** **** Mar. 5, 2013**

(54) **LID FOR CONTAINER**

(75) Inventor: **Christopher L. Sina**, Neenah, WI (US)

(73) Assignee: **Reynolds Consumer Products, Inc.**,
Richmond, VA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/402,293**

(22) Filed: **Sep. 22, 2011**

(51) **LOC (9) Cl.** **09-07**

(52) **U.S. Cl.** **D9/451; D7/392.1**

(58) **Field of Classification Search** D9/600,
D9/629, 653, 667, 669, 414, 424-433, 435,
D9/445, 454, 451, 453; 206/494, 457, 527,
206/540; 215/400; 220/890; 229/116.1,
229/125.36; D7/586, 604, 392.1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,388,841	A *	6/1968	McHardy et al.	D9/451
D292,676	S *	11/1987	Mileto	D9/454
4,951,832	A	8/1990	Tenney et al.		
D330,148	S	10/1992	Pinkston		
D467,497	S	12/2002	Liu et al.		
D475,573	S *	6/2003	Jalet et al.	D7/392.1
D478,469	S *	8/2003	Roth et al.	D7/392.1
D480,264	S *	10/2003	de Groote et al.	D7/392.1
D488,345	S *	4/2004	de Groote et al.	D7/392.1
D506,106	S	6/2005	Ordiway et al.		
D507,155	S	7/2005	Gosen et al.		
D512,872	S *	12/2005	McMahon et al.	D7/392
D516,859	S	3/2006	Zettle et al.		
7,451,875	B1	11/2008	Norris		
D603,261	S *	11/2009	Arnell et al.	D9/453
D612,196	S *	3/2010	Furlong	D7/392.1
D614,439	S *	4/2010	Olivari	D7/392.1
D641,209	S *	7/2011	Ablo	D7/392.1
2003/0015450	A1	1/2003	Ferretti et al.		
2005/0224506	A1	10/2005	Withers		
2009/0120897	A1	5/2009	Armenti		

FOREIGN PATENT DOCUMENTS

DE	100 41 826	A1	3/2002
EP	2 147 767	A1	1/2010
GB	2 434 736	A	8/2007
JP	52-142022		10/1977

OTHER PUBLICATIONS

“Anchor Hocking Full Food Storage Line Set,” *The Weekly Home Furnishings Newspaper*, p. 68 (Jun. 7, 1993).

“Ad Drive to Lift Rubbermaid’s EZ Topp Line,” *The Weekly Home Furnishings Newspaper*, p. 75 (Sep. 26, 1994).

“Rubbermaid offers Lunch Break,” *The Weekly Newspaper for the Home Furnishing Network*, vol. 70, No. 3, p. 78(1) (Jan. 15, 1996).

Clark, G., “New products come and go, but some stand up better than others. The Good Housekeeping Institute has selected this year’s best products,” *St. Louis Post Dispatch*, Monday Memo, Business Plus Section, p. 4 (Dec. 25, 1995).

* cited by examiner

Primary Examiner — Sandra Morris

(74) *Attorney, Agent, or Firm* — Merchant & Gould P.C.

(57) **CLAIM**

The ornamental design for lid for container, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a plastic lid for use with container;

FIG. 2 is a top view of FIG. 1;

FIG. 3 is a bottom view of FIG. 1;

FIG. 4 is a left side view of FIG. 1;

FIG. 5 is a right side view of FIG. 1;

FIG. 6 is a front view of FIG. 1; and

FIG. 7 is a rear view of FIG. 1;

FIG. 8 is a perspective view of a second embodiment of a plastic lid for use with a container;

FIG. 9 is a top view of FIG. 8;

FIG. 10 is a bottom view of FIG. 8;

FIG. 11 is a left side view of FIG. 8;

FIG. 12 is a right side view of FIG. 8;

FIG. 13 is a front view of FIG. 8; and

FIG. 14 is a rear view of FIG. 8;





FIG. 15 is a perspective view of a third embodiment of a plastic lid for use with a container;
FIG. 16 is a top view of FIG. 15;
FIG. 17 is a bottom view of FIG. 15;
FIG. 18 is a left side view of FIG. 15;
FIG. 19 is a right side view of FIG. 15;
FIG. 20 is a front view of FIG. 15; and
FIG. 21 is a rear view of FIG. 15;
FIG. 22 is a perspective view of a fourth embodiment of a plastic lid for use with a container;
FIG. 23 is a top view of FIG. 22;
FIG. 24 is a bottom view of FIG. 22;
FIG. 25 is a left side view of FIG. 22;
FIG. 26 is a right side view of FIG. 22;

FIG. 27 is a front view of FIG. 22; and
FIG. 28 is a rear view of FIG. 22;
FIG. 29 is a perspective view of a fifth embodiment of a plastic lid for use with a container;
FIG. 30 is a top view of FIG. 29;
FIG. 31 is a bottom view of FIG. 29;
FIG. 32 is a left side view of FIG. 29;
FIG. 33 is a right side view of FIG. 29;
FIG. 34 is a front view of FIG. 29; and,
FIG. 35 is a rear view of FIG. 29.

The broken lines in the drawing views are included for the purpose of illustrating portions that form no part of the claimed design.

1 Claim, 20 Drawing Sheets




FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 7






FIG. 8

FIG. 9




FIG. 10




FIG. 11



FIG. 12




FIG. 13





FIG. 14






FIG. 15

FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20



FIG. 21



FIG. 22




FIG. 23




FIG. 24




FIG. 25



FIG. 26



FIG. 27




FIG. 28






FIG. 29

FIG. 30




FIG. 31




FIG. 32



FIG. 33



FIG. 34



FIG. 35

