



US00D677228S

(12) **United States Design Patent**  
**Miyoshi**

(10) **Patent No.:** **US D677,228 S**  
(45) **Date of Patent:** **\*\* Mar. 5, 2013**

(54) **LIGHT EMITTING DIODE**

(75) Inventor: **Tomonori Miyoshi**, Anan (JP)

(73) Assignee: **Nichia Corporation** (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/418,141**

(22) Filed: **Apr. 12, 2012**

**Related U.S. Application Data**

(62) Division of application No. 29/362,717, filed on May 28, 2010, now Pat. No. Des. 660,811.

(30) **Foreign Application Priority Data**

Apr. 9, 2010 (JP) ..... 2010-009013

(51) **LOC (9) Cl.** ..... **13-03**

(52) **U.S. Cl.** ..... **D13/180**

(58) **Field of Classification Search** ..... D13/180;  
D26/1, 2; 257/79, 80, 81, 88, 89, 95, 98,  
257/99, 100, E33.058; 313/483, 498, 500;  
362/555, 800

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|              |         |                 |
|--------------|---------|-----------------|
| D42,949 S    | 8/1912  | Perkins         |
| D339,349 S   | 9/1993  | Hayasaka et al. |
| D352,504 S   | 11/1994 | Scheid et al.   |
| D355,360 S   | 2/1995  | Mund et al.     |
| D375,743 S   | 11/1996 | Nishii et al.   |
| D387,982 S   | 12/1997 | Kaplan          |
| 5,815,252 A  | 9/1998  | Price-Francis   |
| 6,705,530 B2 | 3/2004  | Kiekhaefer      |
| 7,268,697 B2 | 9/2007  | Hall et al.     |
| D566,665 S   | 4/2008  | Liao et al.     |
| D575,245 S   | 8/2008  | Yen             |
| D591,248 S   | 4/2009  | Imai et al.     |

|                   |         |                           |
|-------------------|---------|---------------------------|
| D622,955 S        | 9/2010  | Mudrick et al.            |
| D625,694 S        | 10/2010 | Morikawa et al.           |
| D647,492 S *      | 10/2011 | Imai et al. .... D13/180  |
| D658,601 S *      | 5/2012  | Egawa et al. .... D13/180 |
| D658,602 S *      | 5/2012  | Egawa et al. .... D13/180 |
| D660,811 S *      | 5/2012  | Miyoshi ..... D13/180     |
| 2007/0069010 A1   | 3/2007  | Mestres et al.            |
| 2011/0254022 A1 * | 10/2011 | Sasano ..... 257/88       |

**FOREIGN PATENT DOCUMENTS**

|    |          |        |
|----|----------|--------|
| JP | D1339025 | 9/2008 |
| JP | D1339026 | 9/2008 |
| JP | D1339027 | 9/2008 |
| JP | D1339028 | 9/2008 |
| JP | D1383248 | 3/2010 |
| JP | D1383249 | 3/2010 |

\* cited by examiner

*Primary Examiner* — Selina Sikder

(74) *Attorney, Agent, or Firm* — SAIDMAN DesignLaw Group

(57) **CLAIM**

The ornamental design for a light emitting diode, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, bottom, right side perspective view of a light emitting diode showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a top plan view thereof;  
FIG. 5 is a bottom plan view thereof; and,  
FIG. 6 is a left side elevational view thereof, the right side view being a mirror image thereof.  
The figures illustrate two L-shaped electrodes and an X-shaped cathode mark. The electrodes and cathode mark are made by plating onto the substrate and are thus very thin. As a result, they do not appear in the top, bottom, left side and right side views.

**1 Claim, 5 Drawing Sheets**




FIG. 1




FIG.2




FIG. 3




FIG.4




FIG.5




FIG. 6

