

US00D677409S

(12) **United States Design Patent**  
**Binder et al.**

(10) **Patent No.:** **US D677,409 S**

(45) **Date of Patent:** **\*\* Mar. 5, 2013**

(54) **HEADLIGHT FOR A VEHICLE**

(75) Inventors: **Thomas Binder**, Stuttgart (DE); **Klaus Frenzel**, Winnenden (DE); **Hans-Dieter Futschik**, Gechingen (DE); **Stefan Handt**, Stuttgart (DE)

(73) Assignee: **Daimler AG**, Stuttgart (DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/431,893**

(22) Filed: **Sep. 12, 2012**

D544,614 S	6/2007	Markefka
D549,857 S	8/2007	Lin
D561,358 S	2/2008	Tachibana
D587,637 S	3/2009	Pfeiffer
D588,499 S	3/2009	Pfeiffer
D599,044 S	8/2009	Pfeiffer
D599,922 S	9/2009	Pfeiffer

\* cited by examiner

*Primary Examiner* — Marcus Jackson

(74) *Attorney, Agent, or Firm* — Crowell & Moring LLP

(57) **CLAIM**

The ornamental design for a headlight for a vehicle, as shown and described.

**DESCRIPTION**

This application contains subject matter related to the following co-pending U.S. design patent applications:

Application Ser. No. 29/347,486, filed Feb. 4, 2010 and issued Jul. 24, 2012 as U.S. Pat. No. D664,070; and

Application Ser. No. 29/347,488, filed Feb. 4, 2010 and issued Jul. 24, 2012 as U.S. Pat. No. D664,078.

FIG. 1 is a right perspective view of a first embodiment of a headlight for a vehicle according to our design;

FIG. 2 is a front view thereof;

FIG. 3 is a right side view thereof; and

FIG. 4 is a top view thereof.

FIG. 5 is a left perspective view of a second embodiment of the headlight for a vehicle according to our new design, with the headlight for a vehicle for the opposite side of the vehicle being depicted in the first embodiment;

FIG. 6 is a front view thereof;

FIG. 7 is a left side view thereof; and,

FIG. 8 is a top view thereof.

The broken lines are for illustrative purposes only and form no part of the claimed design.

**Related U.S. Application Data**

(62) Division of application No. 29/347,923, filed on Aug. 4, 2010, now Pat. No. Des. 671,247.

(30) **Foreign Application Priority Data**

Apr. 14, 2010 (DE) ..... 402010002139

(51) **LOC (9) Cl.** ..... **26-06**

(52) **U.S. Cl.** ..... **D26/28**

(58) **Field of Classification Search** ..... D26/28-36;  
362/459-468, 475-478, 485-487


See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D490,174 S	*	5/2004	Lin	.....	D26/28
D493,550 S	*	7/2004	Lin	.....	D26/28
D495,813 S	*	9/2004	Lin	.....	D26/28
D528,681 S	*	9/2006	Nakahara	.....	D26/28
D528,685 S		9/2006	Yoshida		
D538,956 S	*	3/2007	Ishii	.....	D26/28
D544,114 S		6/2007	Ohta		

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8