



US00D677788S

(12) **United States Design Patent**  
**Yu et al.**

(10) **Patent No.:** **US D677,788 S**  
(45) **Date of Patent:** **\*\* Mar. 12, 2013**

(54) **STABILIZATION DEVICE**

(75) Inventors: **Laura Man Yee Yu**, Markham (CA);  
**Jay Sobel**, Toronto (CA); **Robert Harrison**, Milton (CA); **Neil Godara**, Milton (CA); **Steve Copeland**, Barrie (CA); **Edmund Chen**, Brampton (CA)

(73) Assignee: **Kimberly-Clark, Inc.**, Ontario (CA)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/382,248**

(22) Filed: **Dec. 30, 2010**

(30) **Foreign Application Priority Data**

Feb. 9, 2010 (WO) ..... PCT/CA2010/000143

(51) **LOC (9) Cl.** ..... **24-02**

(52) **U.S. Cl.** ..... **D24/128**

(58) **Field of Classification Search** ..... D24/112,  
D24/128, 130, 140, 190; 128/DIG. 6, DIG. 26;  
604/174, 179

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,898,587	A *	2/1990	Mera	604/174
D333,182	S *	2/1993	Yoshikawa	D24/133
D336,516	S *	6/1993	Nilsson	D24/130
5,292,325	A	3/1994	Gurmarnik	
D362,064	S *	9/1995	Smick	D24/140
5,911,707	A	6/1999	Wolvek et al.	
D420,132	S *	2/2000	Bucholz et al.	D24/140
6,332,874	B1 *	12/2001	Eliassen et al.	604/174
D541,934	S *	5/2007	Gomez	D24/128
D613,857	S *	4/2010	Bierman	D24/130
D613,859	S *	4/2010	Bierman	D24/130

D613,860	S *	4/2010	Bierman et al.	D24/130
D649,640	S *	11/2011	Bailey et al.	D24/140
2003/0078590	A1	4/2003	Errico et al.	

**FOREIGN PATENT DOCUMENTS**

WO	00/19906	4/2000
WO	00/40155	7/2000
WO	2004/062488	7/2004

**OTHER PUBLICATIONS**

International Search Report for CA2010/000143—7 pages.

\* cited by examiner

*Primary Examiner* — Eric Goodman

(74) *Attorney, Agent, or Firm* — Dority & Manning, P.A.


(57) **CLAIM**

The ornamental design for a stabilization device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a stabilization device according to the present design;  
FIG. 2 is a right side view of the stabilization device of FIG. 1;  
FIG. 3 is a left side view of the stabilization device of FIG. 1;  
FIG. 4 is a top view of the stabilization device of FIG. 1;  
FIG. 5 is a front view of the stabilization device of FIG. 1;  
FIG. 6 is a back view of the stabilization device of FIG. 1; and,  
FIG. 7 is a perspective view of the stabilization device of FIG. 1, showing an object being held in one possible orientation.  
The claimed design comprises the elements shown in solid lines, the elements shown in dotted lines forming no part of the claimed design.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7