

US00D678024S

(12) **United States Design Patent**
Taniguchi et al.

(10) **Patent No.:** **US D678,024 S**
(45) **Date of Patent:** **** Mar. 19, 2013**

(54) **PORTABLE ELECTRIC DRIVER**
(75) Inventors: **Takeshi Taniguchi**, Hitachinaka (JP);
Masanori Okada, Hitachinaka (JP);
Mizuho Nakamura, Hitachinaka (JP)

(73) Assignee: **Hitachi Koki Co., Ltd.**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/397,388**

(22) Filed: **Jul. 15, 2011**

(30) **Foreign Application Priority Data**

Jan. 18, 2011 (JP) 2011-000898

(51) **LOC (9) Cl.** **08-04**

(52) **U.S. Cl.** **D8/68**

(58) **Field of Classification Search** D8/61,
D8/68; 173/46, 132, 170, 171, 178, 217;
310/50; 408/124

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D484,385 S *	12/2003	Sakai et al.	D8/68
D493,344 S *	7/2004	Watson	D8/68
D494,435 S *	8/2004	Hayakawa et al.	D8/68
D503,879 S *	4/2005	Watson	D8/68
D508,642 S *	8/2005	Kokawa et al.	D8/68
D512,891 S *	12/2005	Aglassinger	D8/68
D514,910 S *	2/2006	Nagasaka et al.	D8/68
D519,808 S *	5/2006	Otsuka et al.	D8/68
D520,834 S *	5/2006	Furuta et al.	D8/68
D524,136 S *	7/2006	Taniguchi et al.	D8/68
D525,099 S *	7/2006	Nagasaka et al.	D8/68

D533,423 S *	12/2006	Ino et al.	D8/68
D554,962 S *	11/2007	Ino	D8/68
D567,615 S *	4/2008	Taniguchi et al.	D8/68
D577,558 S *	9/2008	Taniguchi et al.	D8/68
D578,854 S *	10/2008	Lopano	D8/68
D585,716 S *	2/2009	Taniguchi et al.	D8/68
D605,490 S *	12/2009	Aglassinger	D8/68
D606,376 S *	12/2009	Okuda et al.	D8/68
D610,421 S *	2/2010	Taniguchi et al.	D8/68
D614,468 S *	4/2010	Aglassinger	D8/68
D628,038 S *	11/2010	Aoki et al.	D8/68
8,167,056 B2 *	5/2012	Ito et al.	173/171
2007/0056760 A1 *	3/2007	Yoshimizu et al.	173/217
2012/0043102 A1 *	2/2012	Okuda	173/217
2012/0199372 A1 *	8/2012	Nishikawa et al.	173/132

* cited by examiner

Primary Examiner — Philip S Hyder

Assistant Examiner — John T Applewhite

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

(57) **CLAIM**

The ornamental design for a portable electric driver, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of top, front and left side of a portable electric driver showing our new design;

FIG. 2 is a perspective view of bottom, rear and right side thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;


FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof;

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom view thereof.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8