



US00D678097S

(12) **United States Design Patent**
Elwell et al.

(10) **Patent No.:** **US D678,097 S**
(45) **Date of Patent:** **** Mar. 19, 2013**

(54) **SENSOR**

(75) Inventors: **Brian Eugene Elwell**, Tyrone, GA (US);
Gregg Arthur Lehman, Peachtree City, GA (US)

(73) Assignee: **Cooper Technologies Company**,
Houston, TX (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/415,081**

(22) Filed: **Mar. 7, 2012**

(51) **LOC (9) Cl.** **10-05**

(52) **U.S. Cl.** **D10/106.6**

(58) **Field of Classification Search** D10/104.1,
D10/106.1-106.7; D16/203; 446/15, 48
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,536,195 A * 7/1996 Stamos 446/48
D374,189 S * 10/1996 Hubben D10/106.6
D416,273 S * 11/1999 Yamakawa et al. D16/203

6,231,414 B1 * 5/2001 Ho 446/15
D449,630 S * 10/2001 Rak et al. D16/203
D552,501 S * 10/2007 Lin et al. D10/104.1

* cited by examiner

Primary Examiner — George D Kirschbaum

(74) *Attorney, Agent, or Firm* — King & Spalding LLP

(57) **CLAIM**

The ornamental design for sensor, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a sensor, showing our new design;

FIG. 2 is a bottom plan view thereof;

FIG. 3 is a right-side elevation view thereof;



FIG. 4 is a left-side elevation view thereof;

FIG. 5 is a front elevation view thereof; and,

FIG. 6 is a rear elevation view thereof.

In the drawings, the dash-dot-dash broken lines indicate the boundaries of the claimed invention while the evenly spaced broken lines depict a number of openings or apertures through the exterior body of the sensor but that are unclaimed environment that form no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6