



US00D678452S

(12) **United States Design Patent**
Baldwin et al.

(10) **Patent No.:** **US D678,452 S**
(45) **Date of Patent:** **** Mar. 19, 2013**

(54) **TWO CARTRIDGE ELECTRONIC CONTROL DEVICE**

(75) Inventors: **Christopher W. Baldwin**, Mesa, AZ (US); **Eric H. Chow**, Tempe, AZ (US); **Ryan C. Markle**, Peoria, AZ (US); **Michael E. Gish**, Phoenix, AZ (US)

(73) Assignee: **TASER International, Inc.**, Scottsdale, AZ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/390,073**

(22) Filed: **Apr. 19, 2011**

(51) **LOC (9) Cl.** **22-01**

(52) **U.S. Cl.** **D22/103**

(58) **Field of Classification Search** D22/104, D22/108, 117; 361/232; 102/438, 293, 439, 102/502, 430, 447, 448, 469; 124/57-59; 89/1.11; 362/109, 119; 463/47.3, 47.4
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,843,336	A *	6/1989	Kuo	340/521
5,050,480	A	9/1991	Knight	
5,522,167	A	6/1996	Teetzel	
D445,846	S	7/2001	Hornsby	
D449,354	S	10/2001	Hornsby	
D449,659	S	10/2001	Hornsby	
6,341,442	B1	1/2002	Szabo	
D454,166	S	3/2002	Hornsby	
D454,926	S	3/2002	Hornsby	
D458,652	S	6/2002	Chan	
D458,975	S	6/2002	Hornsby	
6,415,702	B1	7/2002	Szabo	
6,718,680	B2	4/2004	Roca	
7,102,870	B2 *	9/2006	Nerheim	361/232
7,158,382	B2	1/2007	Fan et al.	
7,314,007	B2	1/2008	Su	

7,586,733	B2 *	9/2009	Nerheim	361/232
7,679,000	B2 *	3/2010	Rauckman	174/135
D630,290	S *	1/2011	Velasquez et al.	D22/104
7,916,446	B2 *	3/2011	Nerheim	361/232
2006/0187610	A1 *	8/2006	Su	361/232
2006/0209489	A1 *	9/2006	Smith	361/232
2007/0130815	A1 *	6/2007	Smith	42/1.08

* cited by examiner

Primary Examiner — Michael A Pratt

(74) *Attorney, Agent, or Firm* — William R. Bachand; Lawrence Letham

(57) **CLAIM**

The ornamental design for a two cartridge electronic control device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a two cartridge electronic control device, showing novel design, with the top, front, and right side visible;

FIG. 2 is a perspective view of the two cartridge electronic control device of FIG. 1, with the top, front, and left side visible;

FIG. 3 is a left side view of the two cartridge electronic control device of FIG. 1;

FIG. 4 is a right side view of the two cartridge electronic control device of FIG. 1;

FIG. 5 is a top view of the two cartridge electronic control device of FIG. 1;


FIG. 6 is a bottom view of the two cartridge electronic control device of FIG. 1;

FIG. 7 is a front view of the two cartridge electronic control device of FIG. 1; and,

FIG. 8 is a rear view of the two cartridge electronic control device of FIG. 1.

The portions of the two cartridge electronic control device shown in broken lines form no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8