



US00D678540S

(12) **United States Design Patent**
Bickford

(10) **Patent No.:** **US D678,540 S**
(45) **Date of Patent:** **** *Mar. 19, 2013**

(54) **CONVEX-CONCAVE ROLLER**
(75) Inventor: **William R. Bickford**, Ronkonkoma, NY (US)
(73) Assignee: **ELC Management, LLC**, New York, NY (US)
(*) Notice: This patent is subject to a terminal disclaimer.
(**) Term: **14 Years**

(21) Appl. No.: **29/400,154**
(22) Filed: **Aug. 24, 2011**
(51) **LOC (9) Cl.** **28-03**
(52) **U.S. Cl.** **D24/211**
(58) **Field of Classification Search** D24/200, D24/211-215, 141; 601/27, 28, 33, 40, 46, 601/47, 48, 63, 80, 99, 104, 112, 113, 114, 601/119, 122, 125, 129, 134, 135, 137, DIG. 12, 601/DIG. 13, DIG. 14, DIG. 15, DIG. 16, 601/DIG. 17; D14/137, 147
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS
1,501,342 A 7/1924 Hoard
D105,722 S * 8/1937 Widmann D24/211
D113,690 S 3/1939 Tresenberg
D166,427 S * 4/1952 Strock D4/109
3,157,135 A 11/1964 Fetrow et al.
D211,549 S * 6/1968 Christopher D24/211
D214,608 S * 7/1969 Howell D28/7
3,638,939 A 2/1972 Langley
D260,560 S * 9/1981 Flower D28/7
4,335,483 A 6/1982 Buck
D299,972 S 2/1989 Moore
5,218,955 A * 6/1993 Gueret 601/123
D341,427 S * 11/1993 Koll D24/211
5,410,773 A 5/1995 Forkner
D363,377 S * 10/1995 Koptis D4/122
D414,875 S * 10/1999 Sirois et al. D24/215
D459,639 S 7/2002 Hefti et al.
6,484,341 B2 11/2002 Hefti et al.

D535,893 S * 1/2007 Shurtleff et al. D9/726
7,169,120 B2 1/2007 Murdock et al.
D549,834 S * 8/2007 Huang D24/211
7,435,029 B1 10/2008 Marini
D617,943 S * 6/2010 Bouix et al. D28/7
D631,192 S * 1/2011 Lim D28/7
7,896,824 B2 * 3/2011 Gueret 601/127
D654,811 S * 2/2012 Song D9/726
D659,549 S * 5/2012 Fera et al. D9/726
D661,168 S * 6/2012 Furling et al. D8/51
D665,642 S * 8/2012 Furling et al. D8/51
D669,590 S * 10/2012 Matsushita D24/211
2005/0131320 A1 6/2005 Lee
2009/0158529 A1 6/2009 Vaes

* cited by examiner
Primary Examiner — Sandra Snapp
(74) *Attorney, Agent, or Firm* — Cynthia R. Miller

(57) **CLAIM**
The ornamental design for a convex-concave roller, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of our new design for a convex-concave roller, both rollers having a smooth surface;
FIG. 2 is an end view of the convex-concave roller shown in FIG. 1;
FIG. 3 is a front elevational view of the convex-concave roller shown in FIG. 1;
FIG. 4 is an opposite end view of the convex-concave roller shown in FIG. 1;
FIG. 5 is a side elevational view of the convex-concave roller shown in FIG. 1;
FIG. 6 is a rear elevational view of the convex-concave roller shown in FIG. 1;
FIG. 7 is an opposite side elevational view of the convex-concave roller shown in FIG. 1;
FIG. 8 is a perspective view of a second embodiment of our new design for a convex-concave roller, both rollers having a flokked or a textured surface;
FIG. 9 is an end view of the convex-concave roller shown in FIG. 8;




FIG. 10 is a front elevational view of the convex-concave roller shown in FIG. 8;

FIG. 11 is an opposite end view of the convex-concave roller shown in FIG. 8;

FIG. 12 is a side elevational view of the convex-concave roller shown in FIG. 8;

FIG. 13 is a rear elevational view of the convex-concave roller shown in FIG. 8;

FIG. 14 is an opposite side elevational view of the convex-concave roller shown in FIG. 8;

FIG. 15 is a perspective view of a third embodiment of our new design for a convex-concave roller, one roller having a smooth surface and the other roller having a flocked or textured surface;

FIG. 16 is an end view of the convex-concave roller shown in FIG. 15;

FIG. 17 is a front elevational view of the convex-concave roller shown in FIG. 15;

FIG. 18 is an opposite end view of the convex-concave roller shown in FIG. 15;

FIG. 19 is a side elevational view of the convex-concave roller shown in FIG. 15;

FIG. 20 is a rear elevational view of the convex-concave roller shown in FIG. 15;

FIG. 21 is an opposite side elevational view of the convex-concave roller shown in FIG. 15;

FIG. 22 is a perspective view of a fourth embodiment of our new design for a convex-concave roller, one roller having a smooth surface and the other roller having a flocked or textured surface;

FIG. 23 is an end view of the convex-concave roller shown in FIG. 22;

FIG. 24 is a front elevational view of the convex-concave roller shown in FIG. 22;

FIG. 25 is an opposite end view of the convex-concave roller shown in FIG. 22;

FIG. 26 is a side elevational view of the convex-concave roller shown in FIG. 22;

FIG. 27 is a rear elevational view of the convex-concave roller shown in FIG. 22; and,

FIG. 28 is an opposite side elevational view of the convex-concave roller shown in FIG. 22.

1 Claim, 12 Drawing Sheets

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12



FIG. 13




FIG. 14



FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28

