



US00D678601S

(12) **United States Design Patent**
Kim

(10) **Patent No.:** **US D678,601 S**
(45) **Date of Patent:** **** Mar. 19, 2013**

(54) **LIGHTING FIXTURE**

(75) Inventor: **Daniel Kim**, Fort Lee, NJ (US)

(73) Assignee: **The L.D. Kichler Co.**, Cleveland, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/373,878**

(22) Filed: **Jun. 2, 2011**

(51) **LOC (9) Cl.** **26-99**

(52) **U.S. Cl.** **D26/144**

(58) **Field of Classification Search** D26/80-92,
D26/143, 144; 362/147, 404-408

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D66,759 S *	3/1925	Sutherland	D26/81
D68,817 S *	11/1925	Krantz	D26/144
D69,224 S *	1/1926	Krantz	D26/144
D69,601 S *	3/1926	Levy	D26/144
D366,714 S *	1/1996	Porter	D26/81
D459,015 S *	6/2002	Dolan	D26/86
D534,674 S *	1/2007	Miranda	D26/81
D534,675 S *	1/2007	Chen	D26/81
D539,962 S *	4/2007	Hsu	D26/81
D552,287 S *	10/2007	De'Armond	D26/81
D565,231 S *	3/2008	Milicia	D26/81
D577,145 S *	9/2008	Schonbek et al.	D26/81
D605,348 S *	12/2009	Miranda	D26/144

OTHER PUBLICATIONS

The Montmartre Collection chandelier models F1781/6 ORB and F1780/4 ORB shown on p. 46 of the Murray-Feiss 2005 Catalog. (2 pages, includes front cover of catalog).*

* cited by examiner

Primary Examiner — Clare E Heflin

(74) *Attorney, Agent, or Firm* — Calfee, Halter & Griswold LLP

(57) **CLAIM**

I claim the ornamental design for a lighting fixture, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a lighting fixture showing a first embodiment of the new design. This fixture has three-way, one hundred twenty degree overall rotational symmetry. The lamp bases and center pieces each have a circular horizontal cross-section.



FIG. 2 is a perspective view of a lighting fixture showing a second embodiment of the new design. This fixture has five-way, seventy-two degree overall rotational symmetry. The lamp bases and center pieces each have a circular horizontal cross-section.

FIG. 3 is a perspective view of a lighting fixture showing a third embodiment of the new design. This fixture has mirror image symmetry, one hundred eighty degree overall rotational symmetry, and mirror image symmetry along a first vertical imaginary plane and also mirror image symmetry along a second vertical imaginary plane, with the first and second vertical imaginary planes being orthogonal to each other. The lamp bases and center pieces each have a circular horizontal cross-section; and,

FIG. 4 is a perspective view of a lighting fixture showing a fourth embodiment of the new design. This fixture has three-way, one hundred twenty degree overall rotational symmetry. The lower arms have six-way, sixty degree overall rotational symmetry. The lamp bases and center pieces each have a circular horizontal cross-section.

The broken lines shown in the drawings are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2



FIG. 3




FIG. 4