



US00D678745S

(12) **United States Design Patent**
Nguyen

(10) **Patent No.:** **US D678,745 S**
(45) **Date of Patent:** **** Mar. 26, 2013**

(54) **SPINNING INSERT POLISHING PAD**

(76) Inventor: **Phuong Van Nguyen**, San Jose, CA
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/396,834**

(22) Filed: **Jul. 7, 2011**

(51) **LOC (9) Cl.** **08-05**

(52) **U.S. Cl.** **D8/70**

(58) **Field of Classification Search** D8/70;
D15/126, 138, 139; 451/41, 56, 59, 285,
451/526, 532, 533, 541, 548

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

201,778	A *	3/1878	Hart		451/541
2,405,524	A *	8/1946	Sharpe et al.		451/532
6,224,474	B1 *	5/2001	Vander Voort		451/494
6,402,594	B1 *	6/2002	Kobayashi et al.		451/41
6,454,644	B1 *	9/2002	Miyazaki et al.		451/526
7,258,602	B2 *	8/2007	Shih et al.		451/527
D559,063	S *	1/2008	Okamoto et al.		D8/70
D559,064	S *	1/2008	Okamoto et al.		D8/70
D559,065	S *	1/2008	Miyauchi et al.		D8/70
D559,066	S *	1/2008	Tano et al.		D8/70
D559,648	S *	1/2008	Miyauchi et al.		D8/70
D560,457	S *	1/2008	Miyauchi et al.		D8/70
D576,855	S *	9/2008	Okamoto et al.		D8/70
D581,237	S *	11/2008	Okamoto et al.		D8/70
D584,591	S *	1/2009	Tano et al.		D8/70
D592,029	S *	5/2009	Tano et al.		D8/70
D592,030	S *	5/2009	Tano et al.		D8/70
D600,989	S *	9/2009	Tano et al.		D8/70
2003/0109209	A1 *	6/2003	Hishiki		451/527
2006/0148393	A1 *	7/2006	Ono et al.		451/526
2007/0082587	A1 *	4/2007	Hosaka et al.		451/56

2007/0259612	A1 *	11/2007	Chang et al.		451/526
2008/0085661	A1 *	4/2008	Hsu et al.		451/59
2008/0209817	A1 *	9/2008	Wang et al.		51/297
2010/0056031	A1 *	3/2010	Chiu et al.		451/527
2012/0190281	A1 *	7/2012	Allison et al.		451/527

* cited by examiner

Primary Examiner — Philip S Hyder

Assistant Examiner — John T Applewhite

(74) *Attorney, Agent, or Firm* — Michael I. Kroll

(57) **CLAIM**

The ornamental design for a spinning insert polishing pad, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the spinning insert polishing pad showing my new design;

FIG. 2 is a bottom perspective view of the spinning insert polishing pad showing my new design;

FIG. 3 is a top plan view of the spinning insert polishing pad showing my new design;

FIG. 4 is a bottom plan view of the spinning insert polishing pad showing my new design;

FIG. 5 is a front elevation view of the spinning insert polishing pad showing my new design;



FIG. 6 is a rear elevation view of the spinning insert polishing pad showing my new design; and

FIG. 7 is a right side view of the spinning insert polishing pad showing my new design; and,

FIG. 8 is a left side view of the spinning insert polishing pad showing my new design.

The stippling on the upper surface is meant to represent a pattern that extends uniformly across the entire surface.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7



FIG. 8