



US00D678757S

(12) **United States Design Patent**
Imai et al.

(10) **Patent No.:** **US D678,757 S**
(45) **Date of Patent:** **** Mar. 26, 2013**

(54) **SCREW BOLT**

(75) Inventors: **Junichi Imai**, Tokyo (JP); **Hiroki Ishiyama**, Tokyo (JP)

(73) Assignee: **Sumitomo Forestry Co., Ltd.**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/410,912**

(22) Filed: **Jan. 13, 2012**

(30) **Foreign Application Priority Data**

Jul. 25, 2011 (JP) D2011-016985

(51) **LOC (9) Cl.** **08-08**

(52) **U.S. Cl.** **D8/387**

(58) **Field of Classification Search** D8/387,
D8/385, 388; 411/403, 337, 378, 411, 402,
411/410, 393, 405, 388, 404, 419, 387.1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D31,416	S	*	8/1899	Taylor	D6/496
2,153,702	A	*	4/1939	Tighe	411/378
2,724,979	A	*	11/1955	Cross	74/458
3,209,425	A	*	10/1965	Barry et al.	411/337
4,075,923	A	*	2/1978	Latham	411/378
D260,103	S	*	8/1981	Appel et al.	D21/483
4,376,332	A	*	3/1983	Sandefur	29/402.08
4,647,883	A	*	3/1987	Oxley	333/245
D397,030	S	*	8/1998	Lawson	D8/387
D430,007	S	*	8/2000	Damour	D8/387
6,430,756	B1	*	8/2002	Reilly	4/252.1
6,702,537	B2	*	3/2004	Neuhengen	411/414
D532,178	S	*	11/2006	Martin	D34/31

D589,335	S	*	3/2009	Horsch et al.	D8/387
D631,736	S	*	2/2011	You	D8/387
7,883,308	B2	*	2/2011	Hung	411/393
D637,072	S	*	5/2011	Eilola	D8/387
D639,152	S	*	6/2011	Watts	D8/387

FOREIGN PATENT DOCUMENTS

JP	08120791	5/1996
JP	D1198959 A	3/2004
JP	2005-281963	10/2005
JP	2006-118254	5/2006
JP	2007-077611 A	3/2007
JP	2011-184851 A	9/2011

OTHER PUBLICATIONS

Japanese Office Action dispatched Sep. 25, 2012 in Japanese design Application (No. 2011-016985).

* cited by examiner

Primary Examiner — Sheryl Lane

(74) *Attorney, Agent, or Firm* — Browdy and Neimark, P.L.L.C.


(57) **CLAIM**

The ornamental design for a screw bolt, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the screw bolt;
FIG. 2 is a back view of the screw bolt shown in FIG. 1;
FIG. 3 is a plane view of the screw bolt shown in FIG. 1;
FIG. 4 is a bottom view of the screw bolt shown in FIG. 1;
FIG. 5 is a right side view of the screw bolt shown in FIG. 1;
FIG. 6 is a left side view of the screw bolt shown in FIG. 1;
and,
FIG. 7 is a cross-sectional view along line 7-7 shown in FIG. 3.

1 Claim, 7 Drawing Sheets






Fig. 1




Fig.2





Fig. 3

Fig. 4






Fig.5




Fig.6




Fig7