



US00D678881S

(12) **United States Design Patent**  
**Groene et al.**

(10) **Patent No.:** **US D678,881 S**  
(45) **Date of Patent:** **\*\* Mar. 26, 2013**

(54) **INPUT DEVICE WITH COUPLING**

(75) Inventors: **Ralf Groene**, Kirkland, WA (US); **Hua Wang**, Sammamish, WA (US); **Anthony Reed**, Sammamish, WA (US); **Summer Schneider**, Seattle, WA (US); **Karsten Aagaard**, Monroe, WA (US)

(73) Assignee: **Microsoft Corporation**, Redmond, WA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/422,125**

(22) Filed: **May 16, 2012**

(51) **LOC (9) Cl.** ..... **14-02**

(52) **U.S. Cl.** ..... **D14/391**

(58) **Field of Classification Search** ..... D14/240,  
D14/391–399, 443, 455, 456, 433; D18/1,  
D18/2, 7, 11; 178/17 A, 17 C; 200/5 A,  
200/5 R, 6 A, 6 R; 235/145 A, 145 R; 341/20–23;  
345/156, 160, 168, 169, 173, 700; 361/679.08,  
361/679.09; 400/484–489, 492, 472; D13/123,  
D13/133

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|                |         |                 |       |         |
|----------------|---------|-----------------|-------|---------|
| D319,632 S *   | 9/1991  | Heimbürger      | ..... | D14/398 |
| D365,334 S *   | 12/1995 | Peart           | ..... | D14/422 |
| D386,754 S *   | 11/1997 | Gifford et al.  | ..... | D14/396 |
| 5,793,359 A *  | 8/1998  | Ushikubo        | ..... | 345/169 |
| 6,129,270 A *  | 10/2000 | Piazza          | ..... | 235/379 |
| 6,312,175 B1 * | 11/2001 | Lum             | ..... | 400/472 |
| 6,439,785 B1   | 8/2002  | Liu             |       |         |
| D462,354 S     | 9/2002  | Kimbré          |       |         |
| 6,882,524 B2   | 4/2005  | Ulla et al.     |       |         |
| D504,889 S     | 5/2005  | Andre et al.    |       |         |
| 6,947,031 B2   | 9/2005  | Sandbach et al. |       |         |
| D516,080 S     | 2/2006  | Sakamoto        |       |         |
| D517,068 S     | 3/2006  | Sakamoto        |       |         |
| D517,552 S     | 3/2006  | Sakamoto        |       |         |
| D521,513 S *   | 5/2006  | Neal et al.     | ..... | D14/392 |
| D522,013 S     | 5/2006  | Sakamoto        |       |         |
| 7,102,614 B2   | 9/2006  | Sandbach et al. |       |         |
| 7,154,452 B2   | 12/2006 | Nakamura        |       |         |

|              |         |                |       |         |
|--------------|---------|----------------|-------|---------|
| D537,831 S * | 3/2007  | Steiner et al. | ..... | D14/456 |
| D544,490 S * | 6/2007  | O'Neil         | ..... | D14/455 |
| D544,862 S   | 6/2007  | Amiri          |       |         |
| 7,342,776 B1 | 3/2008  | Chan           |       |         |
| D567,240 S   | 4/2008  | Griffin        |       |         |
| 7,440,267 B2 | 10/2008 | Tatsukami      |       |         |
| D584,304 S   | 1/2009  | Lin            |       |         |
| D603,398 S   | 11/2009 | Watson         |       |         |
| D627,777 S   | 11/2010 | Akana et al.   |       |         |
| D638,833 S   | 5/2011  | Chuang         |       |         |
| D638,836 S   | 5/2011  | Daniel         |       |         |
| D650,380 S   | 12/2011 | Ballout        |       |         |
| D653,665 S   | 2/2012  | Maruyama       |       |         |
| D658,186 S   | 4/2012  | Akana et al.   |       |         |
| D658,187 S   | 4/2012  | Diebel         |       |         |
| D658,188 S   | 4/2012  | Diebel         |       |         |

(Continued)

**FOREIGN PATENT DOCUMENTS**

EM 001911983 2/2011

*Primary Examiner* — Freda S Nunn

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(57) **CLAIM**

The ornamental design for an input device with coupling, as shown and described.

**DESCRIPTION**

FIG. 1 is a top isometric view of an input device with coupling showing our new design;

FIG. 2 is a top view thereof;

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;


FIG. 5 is a rear view thereof;

FIG. 6 is a front view thereof; and,

FIG. 7 is an enlarged top view of a center portion shown in FIG. 2.

The broken line immediately adjacent to the shaded area represents an unclaimed boundary of the design. The broken lines showing the six circular features within the claimed region and the broken line showing of the remainder of the input device are for environmental purposes only and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**



US D678,881 S

Page 2

---

| U.S. PATENT DOCUMENTS |         |              |                     |        |          |
|-----------------------|---------|--------------|---------------------|--------|----------|
| D659,139 S            | 5/2012  | Gengler      | 2005/0052831 A1     | 3/2005 | Chen     |
| D663,304 S            | 7/2012  | Akana et al. | 2007/0097087 A1     | 5/2007 | Homer    |
| D669,069 S            | 10/2012 | Akana et al. | 2012/0140396 A1     | 6/2012 | Zeliff   |
| D669,468 S            | 10/2012 | Akana et al. | 2012/0194448 A1     | 8/2012 | Rothkopf |
| D670,286 S            | 11/2012 | Akana et al. | * cited by examiner |        |          |




FIG. 1




FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6




FIG. 7