



US00D678954S

(12) **United States Design Patent**  
**Young et al.**

(10) **Patent No.:** **US D678,954 S**  
(45) **Date of Patent:** **\*\* Mar. 26, 2013**

(54) **LENS ACCESSORY FOR VIDEO GAME  
SENSOR DEVICE**

D665,461 S \* 8/2012 Ikeda et al. .... D21/333  
8,270,827 B2 \* 9/2012 Tse, Jr. .... 396/544  
8,314,923 B2 \* 11/2012 York et al. .... 356/4.01

(75) Inventors: **Allen Richard Young**, Los Angeles, CA  
(US); **Herschel Naghi**, Beverly Hills,  
CA (US)

\* cited by examiner

(73) Assignee: **Nyko Technologies, Inc.**, Los Angeles,  
CA (US)

*Primary Examiner* — Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm* — Christie, Parker & Hale,  
LLP

(\*\*) Term: **14 Years**

(57) **CLAIM**

The ornamental design for lens accessory for video game  
sensor device, as shown and described.

(21) Appl. No.: **29/394,811**

**DESCRIPTION**

(22) Filed: **Jun. 21, 2011**

**Related U.S. Application Data**

(63) Continuation of application No. 13/153,341, filed on  
Jun. 3, 2011, now Pat. No. 8,123,622.

(51) **LOC (9) Cl.** ..... **21-01**

(52) **U.S. Cl.** ..... **D21/333; D21/328**

(58) **Field of Classification Search** ..... D21/330,  
D21/324, 328, 332, 333; 463/1, 36, 46, 47;  
356/4.01; 348/222.1, 335, 46  
See application file for complete search history.

FIG. 1 is a front perspective view thereof;

FIG. 2 is a front view thereof;

FIG. 3 is a side view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a top view thereof;

FIG. 6 is a bottom view thereof;

FIG. 7 is a front perspective view of another embodiment  
thereof, showing, for reference, a video game sensor device  
coupled thereto;

FIG. 8 is a front view thereof, showing, for reference, a video  
game sensor device coupled thereto;

FIG. 9 is a side view thereof, showing, for reference, a video  
game sensor device coupled thereto;

FIG. 10 is a rear view thereof, showing, for reference, a video  
game sensor device coupled thereto;

FIG. 11 is a top view thereof, showing, for reference, a video  
game sensor device coupled thereto; and,

FIG. 12 is a bottom view thereof, showing, for reference, a  
video game sensor device coupled thereto.

The broken lines are for illustrative purpose only and form no  
part of the claimed design.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D433,074 S \* 10/2000 Clemmer ..... D21/324  
6,844,562 B2 \* 1/2005 Takaoka et al. .... 250/559.38  
6,972,787 B1 \* 12/2005 Allen et al. .... 348/162  
7,265,439 B1 \* 9/2007 Wu et al. .... 257/678  
D632,340 S \* 2/2011 Guinchard et al. .... D21/333  
7,889,324 B2 \* 2/2011 Yamamoto ..... 356/4.01  
8,111,382 B2 \* 2/2012 Wolf et al. .... 356/4.01  
8,123,622 B1 \* 2/2012 Young et al. .... 463/47

**1 Claim, 12 Drawing Sheets**




FIG. 1






FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6






FIG. 7






FIG. 8




FIG. 9




FIG. 10




FIG. 11






FIG. 12

