



US00D679028S

(12) **United States Design Patent**  
**Tipton**

(10) **Patent No.:** **US D679,028 S**  
(45) **Date of Patent:** **\*\* Mar. 26, 2013**

(54) **PIPE ANCHOR BLOCK**

(76) Inventor: **Daron R. Tipton**, Benson, AZ (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/389,127**

(22) Filed: **Apr. 6, 2011**

(51) **LOC (9) Cl.** ..... **25-01**

(52) **U.S. Cl.** ..... **D25/113**

(58) **Field of Classification Search** ..... D25/102-118,  
D25/136, 138, 140, 151, 152, 153, 156-162,  
D25/164; D21/484-491, 499-504; 405/16,  
405/284, 286; 52/503-505, 574, 575, 596-612;  
404/27-42; D23/266; D8/380; 248/56,  
248/62

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,222,538 A \* 9/1980 Jensen et al. .... 248/56  
D257,397 S \* 10/1980 Gustafsson ..... D25/141  
D302,045 S \* 7/1989 Gazley ..... D25/113  
D367,329 S \* 2/1996 Nelson et al. .... D25/118  
D403,412 S \* 12/1998 McMahon et al. .... D23/266

5,852,906 A \* 12/1998 Kuban ..... 52/607  
D481,135 S \* 10/2003 Dean et al. .... D25/113  
D590,926 S \* 4/2009 Crain ..... D23/266  
D621,071 S \* 8/2010 Elliott ..... D25/113  
D627,212 S \* 11/2010 Hikoyama ..... D8/380  
D634,447 S \* 3/2011 Elliott ..... D25/113  
2005/0252146 A1 \* 11/2005 MacDonald et al. .... 52/606

\* cited by examiner

*Primary Examiner* — Anhdao Doan

(74) *Attorney, Agent, or Firm* — Dale F. Regelman; Quarles & Brady LLP

(57) **CLAIM**

The ornamental design for a pipe anchor block, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the design of this invention;  
FIG. 2 is a first side view thereof;  
FIG. 3 is a second side view thereof;  
FIG. 4 is a front view thereof;  
FIG. 5 is a back view thereof;  
FIG. 6 is a top view thereof; and,  
FIG. 7 is a bottom view thereof.

**1 Claim, 4 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

