



US00D679177S

(12) **United States Design Patent**  
**Craig et al.**

(10) **Patent No.:** **US D679,177 S**  
(45) **Date of Patent:** **\*\* Apr. 2, 2013**

(54) **COMBINED CLIP DEVICE AND SUPPORT FOR ELONGATED MEMBERS**

(75) Inventors: **Marc Craig**, Brighton, MI (US); **Kris A. Weger**, Plymouth, MI (US)

(73) Assignee: **ZSI, Inc.**, Canton, MI (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/383,185**

(22) Filed: **Jan. 13, 2011**

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 29/336,746, filed on May 8, 2009, now Pat. No. Des. 631,739.

(51) **LOC (9) Cl.** ..... **08-08**

(52) **U.S. Cl.** ..... **D8/395; D8/396**

(58) **Field of Classification Search** ..... D8/356, D8/371, 394-396; D19/65, 34; D24/128; 24/570, 128, 67.9, 66.13; 248/74.1, 74.2, 248/74.3, 73, 215, 227.1, 49, 300, 301, 316.7, 248/51, 489; D11/214, 215, 78.1; 116/237  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,437,633	A *	3/1984	Andre	.....	248/68.1
4,614,321	A	9/1986	Andre	.....	248/74.2
4,840,334	A *	6/1989	Kikuchi	.....	248/73
5,765,787	A	6/1998	de Beers et al.	.....	248/73
5,954,300	A *	9/1999	Sturies et al.	.....	248/68.1
6,036,145	A *	3/2000	Calabrese et al.	.....	248/68.1
D424,922	S	5/2000	Sherman	.....	D8/395
6,152,406	A *	11/2000	Denndou	.....	248/68.1
6,371,419	B1	4/2002	Ohnuki	.....	248/74.2
6,554,232	B1 *	4/2003	Macris	.....	248/71
6,565,049	B2 *	5/2003	Hahn	.....	248/68.1
6,641,093	B2	11/2003	Coudrais	.....	248/73
6,779,763	B2 *	8/2004	Miura et al.	.....	248/71
6,883,762	B2 *	4/2005	Miura et al.	.....	248/74.2

6,969,832	B1	11/2005	Daughtry, Sr.	.....	219/531
7,240,880	B2	7/2007	Benoit et al.	.....	248/65
7,278,190	B2 *	10/2007	Fischer et al.	.....	24/530
7,328,538	B2 *	2/2008	Trangsrud	.....	52/682
7,387,282	B2 *	6/2008	Kovac	.....	248/74.4
7,523,898	B1 *	4/2009	Barry et al.	.....	248/71
7,533,852	B2 *	5/2009	Stigler	.....	248/65
7,559,511	B2 *	7/2009	Yon	.....	248/68.1
7,614,589	B2	11/2009	Kato	.....	248/55
7,753,320	B2	7/2010	Geiger et al.	.....	248/71
7,802,761	B2	9/2010	Volchko	.....	248/55
8,220,762	B2 *	7/2012	Stigler et al.	.....	248/231.9
8,322,109	B2 *	12/2012	Trangsrud	.....	52/686
2002/0011542	A1	1/2002	Winton	.....	248/74.1
2004/0031228	A1 *	2/2004	Hardy et al.	.....	52/687
2004/0099773	A1	5/2004	Sono et al.	.....	248/71
2004/0140406	A1	7/2004	Kanie	.....	248/73
2008/0210830	A1	9/2008	Sedivy et al.	.....	248/73

\* cited by examiner

*Primary Examiner* — John Windmuller

(57) **CLAIM**

The ornamental design for a combined clip device and support for elongated members, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, bottom, right side perspective view of a combined clip device and support for elongated members showing our new design in the non-operative position;

FIG. 2 is a top view thereof;

FIG. 3 is a front view thereof, the rear view being a mirror image thereof;


FIG. 4 is a right side view thereof, the left side view being a mirror image thereof;

FIG. 5 is a bottom plan view thereof; and,

FIG. 6 is a front view of the combined clip device and support for elongated members shown in the operative position with an elongated member.

The broken lines in FIG. 6 represent an elongated member which forms no part of the claimed design.

**1 Claim, 2 Drawing Sheets**






FIG 1




FIG 2




FIG 3




FIG 4




FIG 5




FIG 6