



US00D679207S

(12) **United States Design Patent**
Johannes

(10) **Patent No.:** **US D679,207 S**

(45) **Date of Patent:** **** Apr. 2, 2013**

(54) **SHOCK INDICATOR**

(76) Inventor: **Tim Johannes**, McHenry, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/388,995**

(22) Filed: **Apr. 5, 2011**

(51) **LOC (9) Cl.** **10-04**

(52) **U.S. Cl.** **D10/83**

(58) **Field of Classification Search** D10/83-85;
33/366.11; 73/12.01; 116/203; 340/665;
600/553; 700/91; 702/33, 44, 141, 142,
702/188

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2005/0217558 A1* 10/2005 Fitzer et al. 116/203
2010/0180457 A1* 7/2010 Katoh et al. 33/366.11
2010/0253530 A1* 10/2010 Pan et al. 340/665

2011/0139060 A1* 6/2011 Sheau-Shi et al. 116/203

* cited by examiner

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — QuickPatents; Kevin Prince

(57) **CLAIM**

The ornamental design for a shock indicator, as shown and described.

DESCRIPTION

FIG. 1 is a reduced perspective view of a shock indicator, showing the new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a right-side elevational view thereof;

FIG. 5 is a left-side elevational view thereof;


FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof; and,

FIG. 8 is a perspective view thereof.

The broken lines showing a helmet in FIG. 1 and a shock sensor mounting arrangement in FIG. 3 depict environmental matter, and form no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 8




FIG. 6




FIG. 7