



US00D679266S

(12) **United States Design Patent**  
**Shin et al.**

(10) **Patent No.:** **US D679,266 S**

(45) **Date of Patent:** **\*\* Apr. 2, 2013**

(54) **REMOTE CONTROL**

(75) Inventors: **Tae-Ho Shin**, Seoul (KR); **Sung-Woo Kim**, Seongnam (KR); **Min-Kyu Park**, Seongnam (KR); **Young-Lyoul Lee**, Anyang-si (KR)

(73) Assignee: **KT Corporation**, Seongnam, Kyeonggi-Do (KR)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/408,013**

(22) Filed: **Dec. 6, 2011**

(30) **Foreign Application Priority Data**

Oct. 11, 2011 (KR) ..... 30-2011-0042103

(51) **LOC (9) Cl.** ..... **14-03**

(52) **U.S. Cl.** ..... **D14/218**

(58) **Field of Classification Search** ..... D14/218, D14/455; D13/168; D21/566; D10/104, D10/106; 345/169; 348/14.05, 114, 211.99, 348/734; 340/825.24; 341/22; 455/92, 95, 455/128, 151.1-151.4, 352, 355, FOR. 121; 700/65

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D546,807 S \* 7/2007 Lee ..... D14/138 AA  
D559,202 S \* 1/2008 Sim et al. .... D13/168  
D585,052 S \* 1/2009 Mamane et al. .... D14/218  
D607,846 S \* 1/2010 Daniels ..... D13/168  
D619,107 S \* 7/2010 Giugiaro ..... D13/168  
D627,328 S \* 11/2010 Harden et al. .... D14/147

D633,893 S \* 3/2011 Harden et al. .... D14/147  
D634,726 S \* 3/2011 Harden et al. .... D14/147  
D639,276 S \* 6/2011 Loh ..... D14/128  
D652,820 S \* 1/2012 Peh ..... D14/218  
D653,221 S \* 1/2012 Kashimoto ..... D13/168  
D661,690 S \* 6/2012 Weitgasser ..... D14/218  
D665,382 S \* 8/2012 Kim et al. .... D14/218  
2008/0204978 A1 \* 8/2008 Haspil et al. .... 361/679

\* cited by examiner

*Primary Examiner* — John Windmuller

(74) *Attorney, Agent, or Firm* — Marshall, Gerstein & Borun LLP

(57) **CLAIM**

The ornamental design for a remote control, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a remote control showing our new design;

FIG. 2 is a front view of the remote control.

FIG. 3 is a rear view of the remote control.

FIG. 4 is a left side view of the remote control.

FIG. 5 is a right side view of the remote control.

FIG. 6 is a top plan view of the remote control; and,

FIG. 7 is a bottom plan view of the remote control.

The broken lines in the figures are for illustrative purposes only and form no part of the claimed design.

The remote control can be used to control an electronic apparatus, such as a TV set, remotely. The remote control can be made of synthetic resins, rubbers and metallic material. A characteristic feature of the design the arrangement of buttons in the conventionally empty space on the rear of the remote control.

**1 Claim, 4 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7

