



US00D679276S

(12) **United States Design Patent**
Coulter

(10) **Patent No.:** **US D679,276 S**
(45) **Date of Patent:** **** Apr. 2, 2013**

(54) **INTERCHANGEABLE JOYSTICK**

(76) Inventor: **Todd Coulter**, Memphis, TN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/403,239**

(22) Filed: **Oct. 3, 2011**

(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.** **D14/412**

(58) **Field of Classification Search** D14/217,
D14/218, 356, 388, 389, 400, 401, 412-416,
D14/432-434, 454, 496; D21/324, 332,
D21/333; D34/27, 35; 463/1, 30, 36-38,
463/46, 47; 345/156-161, 905; D12/174,
D12/178-180; D8/300, 303; D15/138, 142;
74/489, 502.2, 523, 551.8, 551.9
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D51,333 S * 10/1917 Heizmann D8/310
1,736,830 A * 11/1929 McKee et al. 404/15
2,304,345 A * 12/1942 Elliott 404/15
D310,874 S * 9/1990 Utley, Jr. D23/376
D331,060 S * 11/1992 Emmons et al. D14/218
D474,672 S * 5/2003 Fields D8/310
D501,848 S * 2/2005 Uehara et al. D14/240
D518,030 S * 3/2006 Lin D14/218
D521,512 S * 5/2006 Kunzi et al. D14/388
D540,395 S * 4/2007 Bailey D21/333
D558,767 S * 1/2008 Solland D14/412

D603,457 S * 11/2009 Julskjer et al. D21/324
D613,291 S * 4/2010 Carver D14/432
D617,847 S * 6/2010 Royer et al. D21/333
D625,295 S * 10/2010 Nogueira et al. D14/218
D632,281 S * 2/2011 Hoehn et al. D14/218
D639,783 S * 6/2011 Murayama et al. D14/218

* cited by examiner

Primary Examiner — Keli L Hill

(74) *Attorney, Agent, or Firm* — QuickPatents; Kevin Prince



(57) **CLAIM**

I claim the ornamental design for an interchangeable joystick,
as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a first embodiment of an interchangeable joystick, showing my new design;
FIG. 2 is a bottom perspective view of FIG. 1;
FIG. 3 is a front elevational view of FIG. 1, the rear elevational view, left-side elevational view, and right-side elevational view all being a mirror image thereof;
FIG. 4 is a bottom plan view of FIG. 1;
FIG. 5 is a top plan view of FIG. 1;
FIG. 6 is a top perspective view of a second embodiment thereof;
FIG. 7 is a bottom perspective view of FIG. 6;
FIG. 8 is a front elevational view of FIG. 6, the rear elevational view, left-side elevational view, and right-side elevational view all being a mirror image thereof;
FIG. 9 is a top plan view of FIG. 6; and,
FIG. 10 is a bottom plan view of FIG. 6.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10