



US00D679436S

(12) **United States Design Patent**  
**Gismondi**

(10) **Patent No.:** **US D679,436 S**

(45) **Date of Patent:** **\*\* Apr. 2, 2013**

(54) **STANDING LAMPS**

(75) Inventor: **Ernesto Gismondi**, Milan (IT)

(73) Assignee: **Artemide S.p.A.**, Milan (IT)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/404,187**

(22) Filed: **Oct. 17, 2011**

(30) **Foreign Application Priority Data**

Apr. 15, 2011 (EM) ..... 1271258-0011

Apr. 15, 2011 (EM) ..... 1271258-0012

(51) **LOC (9) Cl.** ..... **26-05**

(52) **U.S. Cl.** ..... **D26/68**

(58) **Field of Classification Search** ..... D26/67-71,  
D26/85, 92; D25/126; 362/145, 183, 431,  
362/231, 268, 292, 297, 298, 300, 307, 310

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D236,151 S *	7/1975	Friedberg	.....	D26/68
D299,554 S *	1/1989	Muller	.....	D26/69
D382,910 S *	8/1997	Greenfield	.....	D20/17
D412,015 S *	7/1999	Greenfield	.....	D20/17
6,060,658 A *	5/2000	Yoshida et al.	.....	136/243
6,457,847 B1 *	10/2002	LeVasseur	.....	362/351
D588,738 S *	3/2009	Goetz-Schaefer	.....	D26/68
D597,694 S *	8/2009	Dworschak	.....	D26/68
D598,153 S *	8/2009	Zeng et al.	.....	D26/68
D630,786 S *	1/2011	Pan	.....	D26/68
D630,787 S *	1/2011	Pan	.....	D26/68
D663,460 S *	7/2012	Wauters	.....	D26/68
2006/0109667 A1 *	5/2006	Flaherty et al.	.....	362/431

\* cited by examiner

*Primary Examiner* — Clare E Heflin

(74) *Attorney, Agent, or Firm* — Venable LLP; Robert Kinberg

(57) **CLAIM**

The ornamental design for standing lamps, as shown and described.

**DESCRIPTION**

FIG. 1 is a front side perspective view of a standing lamp according to a first embodiment of the present invention; FIG. 2 is a bottom view of the standing lamp according to the first embodiment of the present invention; FIG. 3 is a left side view of the standing lamp according to the first embodiment of the present invention; FIG. 4 is a front view of the standing lamp according to the first embodiment of the present invention; FIG. 5 is a right side view of the standing lamp according to the first embodiment of the present invention; FIG. 6 is a rear view of the standing lamp according to the first embodiment of the present invention; FIG. 7 is a top view of the standing lamp according to the first embodiment of the present invention; FIG. 8 is a front side perspective view of a standing lamp according to a second embodiment of the present invention; FIG. 9 is a left side view of the standing lamp according to the second embodiment of the present invention; FIG. 10 is a front view of the standing lamp according to the second embodiment of the present invention; FIG. 11 is a right side view of the standing lamp according to the second embodiment of the present invention; FIG. 12 is a rear view of the standing lamp according to the second embodiment of the present invention; FIG. 13 is a top view of the standing lamp according to the second embodiment of the present invention; and, FIG. 14 is a bottom view of the standing lamp according to the second embodiment of the present invention.

**1 Claim, 4 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14

